

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

April 4-6 2011, Hyatt Regency Monterey, Monterey, California, United States

Detection and localization of molecular processes that occur at low concentrations *in vivo* require the development of highly sensitive imaging methods and smart molecular probes. In addition to selective tissue uptake of the molecular probes, the importance of generating adequate contrast between a target and the surrounding tissue is indispensable for accurate diagnosis of diseases as well as monitoring of drug delivery and treatment response.

This topical meeting will highlight recent advances in this rapidly evolving area of research with a goal of stimulating new ideas toward clinical translation. Areas to be covered include, but are not limited to, novel molecular probe design, applications of smart molecular probes in basic and applied research, multimodal imaging agents, advances in instrumentation and algorithms for optical molecular imaging, molecular and functional imaging of normal and diseased tissue, image-guided drug delivery, and monitoring therapeutic response. Broad participation by experts, postdoctoral fellows, and students is encouraged.

Papers are being considered in the following topic categories:

- Optical molecular imaging in pre-clinical models of disease
- Optical visualization/detection of biomolecular processes and pathways (including advanced microscopy techniques such as multiphoton, SHG, FRET, FLIM, and CARS)
- Reporters and contrast agents for fluorescence and bioluminescence imaging: endogenous and exogenous (including genetically introduced proteins, "smart" molecular probes, nanoparticle probes)
- Developments in advanced instrumentation for optical molecular imaging
- Novel algorithms for data analysis and image reconstruction
- Monitoring specific delivery, localization, and action of drugs and contrast agents
- Molecular imaging in PDT
- Quantitative validation methods for optical molecular imaging
- Multi-modal molecular imaging techniques including photoacoustics and combinations of optics with MRI, X-ray, radiodiagnostics
- Clinical translation of optical molecular imaging and image guided therapy

View the conference program and plan your itinerary for the conference



- Browse speakers and the agenda of sessions
- Browse sessions by type or day.
- Search by author, title, OCIS code and more.
- [Plan](#) and [print](#) your personal itinerary before coming to the conference

General Chairs

Mary-Ann Mycek, *Univ. of Michigan, USA*
Konstantin Sokolov, *Univ. of Texas at Austin, USA*

A number of distinguished [invited speakers](#) have been invited to present at the meeting.

This event is part of the Optics in Life Sciences Congress, allowing attendees to access to all meetings within the Congress for the price of one and to collaborate on topics of mutual interest.

Optics in the Life Sciences: OSA Optics and Photonics Congress

- Optical Trapping Applications (OTA)
- Novel Techniques in Microscopy (NTM)
- NEW! Bio-Optics: Design and Application (BODA)
- NEW! Optical Molecular Probes, Imaging, and Drug Delivery (OMP)

Optics in the Life Sciences: OSA Optics and Photonics Congress

April 4-6 2011, Hyatt Regency Monterey, Monterey, CA, USA

Agenda of Session Now Available!

Significant advances in the development of optical techniques have led to an ever increasing role of optics in the study of and treatment of various problems in the life sciences ranging from molecular level investigations to clinical treatment of patients. In this Congress, the latest advances in molecular probe development, life science imaging, novel and more powerful optical instrumentation and its application to study fundamental biological processes and clinical investigations will be presented. This progress in instrumentation development and its rapid application represents important enablers that permit studies not possible a few years ago. The upcoming group of meetings is a forum designed to report on this progress and brings together leaders in the field whose contributions are significantly advancing the state of the art in biological and medical research through the use of optical technologies.

View the conference program and plan your itinerary for the conference



- Browse speakers and the agenda of sessions
- Browse sessions by type or day.
- Search by author, title, OCIS code and more.
- [Plan](#) and [print](#) your personal itinerary before coming to the conference

The Optics in the Life Sciences congress features the following meetings:

- [Optical Trapping Applications \(OTA\)](#)
- [Novel Techniques in Microscopy \(NTM\)](#)
- [NEW! Bio-Optics: Design and Application \(BODA\)](#)
- [NEW! Optical Molecular Probes, Imaging, and Drug Delivery \(OMP\)](#)

Be sure to add this exhibit to your marketing calendar. This Congress provides you an audience of over 300 scientists focused on optics in the life sciences. For information about reserving exhibit space, please call +1 202.416.1474 or email exhibitsales@osa.org. Sign up early to maximize your location.

Sponsor:



Optical Molecular Probes, Imaging and Drug Delivery (OMP)

April 4-6 2011, Hyatt Regency Monterey, Monterey, California, United States

Program

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Detection and localization of molecular processes that occur at low concentrations in vivo require the development of highly sensitive imaging methods and smart molecular probes. In addition to selective tissue uptake of the molecular probes, the importance of generating adequate contrast between a target and the surrounding tissue is indispensable for accurate diagnosis of diseases as well as monitoring of drug delivery and treatment response.

This topical meeting will highlight recent advances in this rapidly evolving area of research with a goal of stimulating new ideas toward clinical translation. Areas to be covered include, but are not limited to, novel molecular probe design, applications of smart molecular probes in basic and applied research, multimodal imaging agents, advances in instrumentation and algorithms for optical molecular imaging, molecular and functional imaging of normal and diseased tissue, image-guided drug delivery, and monitoring therapeutic response. Broad participation by experts, postdoctoral fellows, and students is encouraged.

Papers are being considered in the following topic categories:

- Optical molecular imaging in pre-clinical models of disease
- Optical visualization/detection of biomolecular processes and pathways (including advanced microscopy techniques such as multiphoton, SHG, FRET, FLIM, and CARS)
- Reporters and contrast agents for fluorescence and bioluminescence imaging: endogenous and exogenous (including genetically introduced proteins, “smart” molecular probes, nanoparticle probes)
- Developments in advanced instrumentation for optical molecular imaging
- Novel algorithms for data analysis and image reconstruction
- Monitoring specific delivery, localization, and action of drugs and contrast agents
- Molecular imaging in PDT
- Quantitative validation methods for optical molecular imaging
- Multi-modal molecular imaging techniques including photoacoustics and combinations of optics with MRI, X-ray, radiodiagnostics
- Clinical translation of optical molecular imaging and image guided therapy

A number of distinguished [invited speakers](#) have been invited to present at the meeting. In addition, the organizers have planned a number of [special events](#) to make your meeting experience more enjoyable!

View the conference program and plan your itinerary for the conference



- Browse speakers and the agenda of sessions
- Browse sessions by type or day.
- Search by author, title, OCIS code and more.
- [Plan](#) and [print](#) your personal itinerary before coming to the conference

Special Events

Welcome Reception
Poster Sessions
Post Deadline Sessions

Optics in the Life Sciences: OSA Optics and Photonics Congress

Exhibit: April 4-6, 2011 at The Hyatt Regency Monterey in Monterey, CA USA

The Optics in Life Sciences: OSA Optics and Photonics Congress provides a forum where speakers present the latest results in the life sciences arena ranging from design and fabrication of bio-optics to the coverage of optical trapping schemes. This Congress is composed of six complimentary co-located meetings dealing with the most recent, high impact advances in the area of optics in life sciences. Approximately 300 Attendees expected:

- [Optical Trapping Applications](#)
- [Novel Techniques in Microscopy](#)
- [Bio-Optics Design and Application](#)
- [Optical Molecular Probes and Imaging](#)

Monterey County highlights everything that's best about California. From seaside restaurants to the Salinas Valley's hillside vineyards, from Big Sur's redwood groves to Pebble Beach's perfectly groomed golf courses, from Salinas' old-fashioned rodeo to Carmel-by-the-Sea's elite music and art festivals, Monterey has a feast of fun just waiting to be sampled.

For More Information about Reserving Exhibit Space at OSA Meetings, please call +1 202.416.1474 or email exhibitsales@osa.org

If you are already an exhibitor and you have questions about shipping, ordering furnishings or services and/or have any other logistically related questions, please call +1 202-416-1972 or topicalexhibits@osa.org.

Optics in the Life Sciences:
OSA Optics & Photonics Congress 2011

Bio-Optics: Design and Application (BODA)
Novel Techniques in Microscopy (NTM)
Optical Molecular Probes, Imaging, and Drug Delivery
(OMP)
Optical Trapping Applications (OTA)

4-6 April, 2011
Monterey, CA, USA

Conference Program

**Bio-Optics: Design and Application (BODA)
Novel Techniques in Microscopy (NTM)
Optical Molecular Probes, Imaging, and Drug Delivery (OMP)
Optical Trapping Applications (OTA)**

**4–6 April, 2011
Monterey, CA, USA**

Welcome to the 2011 Optics in the Life Sciences: OSA Optics and Photonics Congress! This congress has two veteran topical meetings, Novel Techniques in Microscopy (NTM) and Optical Trapping Applications (OTA) and two new meetings, Bio-Optics: Design and Application (BODA) and Optical Molecular Probes, Imaging, and Drug Delivery (OMP) which promise to be exciting and informative first-ever meetings on these fascinating topics. We hope that bringing together leaders and experts among the different communities to share information and discuss topics across the disciplines of optical science and engineering will provide you with a rich experience in Monterey.

The focus of the BODA meeting is on design, fabrication, instrumentation, and applications of optical technologies for the life sciences. Themes include but are not limited to visual optics, eye imaging and sensing, bio-inspired optics, optical biochip, optofluidics, biomedical and drug discovery imaging, biosensors, and other novel optical technologies for diagnosis and treatment. This meeting is intended to be a highly interdisciplinary forum of discussion for researchers and engineers from academia and industry to discuss the design and application of bio-optics in life science. This inaugural meeting's program boasts 30 well-known invited speakers, 23 contributed speakers and 7 posters.

The NTM Meeting emphasizes new advances and strategies that push back the limits in microscopic imaging, leading to improvements in resolution, speed, depth penetration, versatility, etc., as well as novel modalities and contrast mechanisms. The primary focus is on techniques rather than applications, with the goal of providing a forum for the interaction of inventors in optical microscopy, researchers and students, and industrial participants. NTM's exciting program consists of a total of more than 60 papers, with 13 invited speakers, 40 oral presenters and 8 poster presentations.

As one of the inaugural meetings in the congress, the OMP topical meeting focuses on the optical detection and localization of molecular processes that occur at low concentrations *in vivo*. Topics include experimental and computational approaches for generating adequate contrast between a target and the surrounding tissue, which is essential for accurate disease diagnosis, as well as monitoring drug delivery and treatment response. This meeting will highlight recent advances in this rapidly evolving area of research with a goal of stimulating new ideas toward clinical translation. OMP's exciting program consists of a total of more than 40 papers, with 14 invited speakers, 22 oral presenters and 5 poster presentations.

The OTA topical meeting explores the applications of novel optical trapping and manipulation techniques, including the use of evanescent fields, plasmonics, microfluidics, integrated lab-on-a-chip technologies, parallel optical sorting, innovation in optical methods for cellular biology and the current state of the art in fundamental concepts of optical trapping. During the course of 2 days, we will present an exceptional program with 15 invited speakers, 24 oral presentations and 12 poster presentations demonstrating cutting-edge research and technology.

We all are pleased to have you join us and look forward to your continued participation in these topical meetings.

BODA

Guoqiang Li, *Univ. of Missouri at St Louis, USA, General Chair*

Ronguang Liang, *Carestream Health, USA, General Chair*

NTM

Jerome Mertz, *Boston Univ., USA, General Chair*

Eric Potma, *Univ. of California at Irvine, USA, General Chair*

OMP

Mary-Ann Mycek, *Univ. of Michigan, USA, General Chair*

Konstantin Sokolov, *UT M.D. Anderson Cancer Ctr., USA, General Chair*

OTA

Carlos Lopez-Mariscal, *US Naval Res. Lab., USA, General Chair*

David McGloin, *Univ. of Dundee, UK, General Chair*

Sunday, 3 April, 2011		Monday, 4 April, 2011			
		BODA	NTM	OMP	OTA
7.00		7.00–18.30 Registration Open, Regency Foyer South			
8.00					
		BMA • Adaptive Optics for the Eye	NMA • Superresolution I (starts at 8.15)	OMA • Advances in Instrumentation or Algorithms I	OTMA • Nanomanipulation and Microfluidics
10.00		10.00–10.30 Coffee Break, Regency Main			
		10.00–16.00 Exhibits Open, Regency Main			
10.30					
		BMB • Multi-Modality Optical Imaging	NMB • Superresolution II	OMB • Novel Probes I (ends at 11.15)	OTMB • Fundamental Systems
11.30		11.30–13.30 Lunch Break (on your own)			
13.30					
		BMC • Optical Biosensors I	NMC • Nonlinear I	OMC • Clinical / Pre-clinical Applications I	OTMC • Analysis of Biological Systems
15.30		15.30–16.00 Coffee Break, Regency Main			
16.00		15.00–18.00 Registration Open, Regency Foyer South			
		BMD • Optical Biosensors II	NMD • Nonlinear II (ends at 17.45)	OMD • Novel Probes II (ends at 17.30)	OTMD • Trapping with Shaped Beams
18.00					
19.00		19.00–20.00 Conference Reception, Spyglass Promenade			
20.00					

Tuesday, 5 April, 2011				Wednesday, 6 April, 2011	
BODA	NTM	OMP	OTA	BODA	NTM
<i>7.00–18.00 Registration Open, Regency Foyer South</i>				<i>7.00–15.30 Registration Open, Regency Foyer South</i>	
BTuA • Bio-Inspired Optics	NTuA • Imaging Through Tissue	OTuA • Advances in Instrumentation or Algorithms II	OTTuA • Trapping Techniques and Applications I	BWA • Design for Biomedical Optical Imaging	NWA • Endoscopy
<i>10.00–10.30 Coffee Break, Regency Main</i>				<i>10.00–10.30 Coffee Break, Regency Main</i>	
<i>10.00–16.00 Exhibits Open, Regency Main</i>					
BTuB • Visual Optics	NTuB • Phase I	OTuB • Clinical / Pre-clinical Applications II	OTTuB • Trapping Techniques and Applications II	BWB • Two-Photon Imaging	NWB • New Techniques
<i>11.30–13.30 Lunch Break (on your own)</i>				<i>11.30–13.30 Lunch Break (on your own)</i>	
<i>13.30–15.30 JTuA • Joint Poster Session, Regency Main</i>				BWC • Spectroscopic Imaging (ends at 3:45pm)	
<i>15.30–16.00 Coffee Break, Regency Main</i>					
BTuC • Biomedical Optical Imaging	NTuC • Phase II	OTuC • Novel Probes III (ends at 17.15)	OTTuC • Trapping Techniques and Applications III		

Key to Agenda
Bio-Optics Design and Application (BODA)
Novel Techniques in Microscopy (NTM)
Optical Molecular Probes, Imaging and Drug Delivery (OMP)
Optical Trapping Applications (OTA)
Joint Sessions

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

Sunday, 3 April, 2011
Monday, 4 April, 2011

15.00–18.00 Registration Open, Regency Foyer South
7.00–18.30 Registration Open, Regency Foyer South

BMA • Adaptive Optics for the Eye

Monday, 4 April
8.00–10.00
Presider to Be Announced

NMA • Superresolution I

Monday, 4 April
8.15–10.00
Michael Thompson; Stanford Univ., USA, Presider

OMB • Novel Probes I

Monday, 4 April
8.00–10.00
Mary-Ann Mycek; Univ. of Michigan, USA, Presider

OTMA • Nanomanipulation and Microfluidics

Monday, 4 April
8.00–10.00
David McGloin; Univ. of Dundee, Presider

BMA1 • 8.00 Invited

History and Future of Ophthalmic Adaptive Optics, *Pablo Artal; Univ. de Murcia, Spain*. Adaptive optics allows the simultaneous measurement and manipulation of the eye's aberrations. Some of the recent history, together with my personal views of the future will be covered in the presentation.

NMA1 • 8.15 Invited

Advances in Super-Resolution Biplane FPALM, STED and 3-D Particle Tracking Microscopy, *Joerg Bewersdorff, Yale Univ.; USA*. STED and FPALM microscopy generate super-resolution images at ~25 nm resolution through targeted and stochastic switching of fluorophores. I present recent advances in both techniques and introduce a novel ultra-fast 3D particle-tracking microscope.

OMA1 • 8.00 Invited

Photoacoustic Tomography: Ultrasonically Breaking through the Optical Diffusion Limit, *Lihong Wang; Biomedical Engineering, Washington Univ. in St. Louis, USA*. Photoacoustic tomography measures optical absorption through detection of photoacoustic waves. The optical diffusion limit, defined by the transport mean free path, on penetration for high-resolution optical imaging is broken.

OTMA1 • 8.00 Invited

Nanomanipulation Using Near Field Photonics, *David Erickson¹; ¹Sibley School of Mechanical and Aerospace Engineering, Cornell Univ., USA*. I will present our recent work on the optical trapping and manipulation of nanomaterials using the near-field of integrated photonic devices. I will discuss two application areas namely: single molecule trapping and nanoassembly.

BMA2 • 8.30 Invited

Advanced Optical Techniques for Clinical and Basic Vision Science, *Austin J. Roorda¹, Lawrence C. Sincich², Qiang Yang³, David W. Arathorn³, Pavan Tiruveedhula¹, William S. Tuten¹; ¹School of Optometry, Univ. of California at Berkeley, USA; ²Dept of Ophthalmology, Univ. of California at San Francisco, USA; ³Montana State Univ., Bozeman, USA*. A system that records microscopic retinal video while delivering ultra-sharp stimuli to targeted retinal locations is described. The precision of the stimulus presentation to living retina enables an unprecedented level of control for vision research.

OMA2 • 8.30 Invited

Simultaneous Morphological and Biochemical Imaging for Cancer Diagnosis and Atherosclerotic Plaque Discrimination, *Brian E. Applegate; Texas A&M Univ., USA*. We have developed a high-speed integrated OCT/FLIM imaging system to acquire morphological and biochemical images. System development and results from recent studies for cancer detection and atherosclerotic plaque discrimination will be discussed.

OTMA2 • 8.30

Bowtie Nanoantennas for Plasmonic Optical Trapping, *Brian J. Roxworthy^{1,2}, Kaspar D. Ko^{1,2}, Anil Kumar³, Kin Hung Fung³, Gang Logan Liu³, Nicholas Fang², Kimani C. Toussaint^{1,2}; ¹Lab. for the Photonics Res. of Bio/nano Environments, Univ. of Illinois at Urbana-Champaign USA; ²Mechanical Science and Engineering, Univ. of Illinois at Urbana-Champaign, USA; ³Electrical and Computer Engineering, Univ. of Illinois at Urbana-Champaign, USA*. Plasmonic optical trapping of polystyrene micron-sized spheres using Au bowtie nanoantenna arrays is demonstrated. Conventional trapping constraints are greatly reduced, allowing for the use of weak focusing and inexpensive sources (laser pointers).

NMA2 • 8.45

Benchmarking Image Analysis Algorithms for Superresolution Fluorescence Microscopy, *Forrest Hippensteel, Alexander R. Small, California State Polytechnic Univ., USA*. We demonstrate a method of benchmarking to identify optimal rejection algorithms for superresolution fluorescence microscopy. Simulations show that a minimum photon count of ~3/4 the mean photon count per molecule yields acceptable performance.

OTMA3 • 8.45

Heating in Optically Trapped Gold Nanoparticles Measured in Artificial Membranes, *Poul M. Bendix¹, Anders Kyrsting¹, Nader Reihani², Lene Oddershede²; ¹Niels Bohr Inst., Univ. of Copenhagen, Denmark*. We have developed lipid based assays which can measure the temperature of any nanoscale irradiated object. As a demonstration we apply this to gold nanoparticles irradiated by focused near infrared laser light.

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BMA • Adaptive Optics for the Eye–Continued

BMA3 • 9.00 **Invited**

Three-Dimensional Cellular Resolution *in vivo* Retinal Imaging, Robert J. Zawadzki¹, Suman Pilli¹, Dae Yu Kim¹, Sandra Balderas-Mata¹, Arlie G. Capps¹, John S. Werner¹; ¹Ophthalmology & Vision Science, Univ. of California at Davis, USA. Current developments in cellular resolution *in-vivo* retinal imaging systems at the UC Davis will be presented. Instrumentation developments include the combination of adaptive optics with optical coherence tomography and scanning laser ophthalmoscopy.

BMA4 • 9.30 **Invited**

Title to be Announced, Jennifer Hunter Univ. of Rochester; USA. Abstract not available.

NMA • Superresolution I–Continued

NMA3 • 9.00

Grating-Enhanced Coherent Imaging, Jeffrey P. Wilde¹, Joseph W. Goodman¹, Yonina C. Eldar², Yuzuru Takashima²; ¹Electrical Engineering, Stanford Univ., USA; ²Electrical Engineering, Israel. We describe a coherent imaging technique that utilizes a diffraction grating placed near the object to alias high spatial frequency information through the imaging system pupil. Linear signal processing is used to reconstruct high-resolution images.

NMA4 • 9.15
High-Resolution Total-Internal-Reflection Fluorescence Microscopy Using Periodically Nano-Structured Glass Slides, Emeric Mudry¹, Jules Girard¹, Kamal Belkebir¹, Hugues Giovannini¹, Patrick C. Chaumet¹, Anne Sentenac¹; ¹Inst. Fresnel, Aix-Marseille Univ., France. Resolution of the Optical fluorescence microscopy is improved up to fourfold thanks to a standing-wave structured-illumination, whose illumination field is created by a nano-structured glass slides.

NMA5 • 9.30
Hyperspectral Nanoscale Imaging on Dielectric Substrates with Coaxial Optical Antenna Scan Probes, Alexander Weber-Bargioni¹, Adam Schwartzberg¹, Matteo Cornaglia¹, Ariel Ismach¹, Jeffrey Urban¹, YJuanJie Pang², Reuven Gordon², Jeffrey Bokor¹, Miquel Salmeron¹, Frank Ogletree¹, Stefano Cabrini¹, Peter Jim Schuck¹; ¹Molecular Foundry, Lawrence Berkeley Nat'l. Lab., USA; ²Dept. of Electrical and Computer Engineering, Univ. of Victoria, Canada. We have demonstrated hyperspectral tip-enhanced Raman imaging on dielectric substrates using reproducible nano-fabricated coaxial antenna tips, enabling Raman spectral imaging (chemical mapping) with high resolution (<20nm) shown on CNTs.

OMB • Novel Probes I–Continued

OMA3 • 9.00 **Invited**

Simultaneous, Dual-Color STORM Imaging of Membrane Reorganization during Early Immune Response, Jesse S. Aaron, Bryan D. Carson¹, Jerilyn Timlin; Bioenergy and Defense Technologies, Sandia Natl. Labs, USA. TLR-4 receptor reorganization in cell membranes was investigated using a novel STORM microscope. The increased resolution permits observation of receptor cluster formation following challenge with chemotypes of lipopolysaccharide.

OMA4 • 9.30
Whole-Cell Analysis of Cardiomyocytes with Combined Quantitative Phase and Two-Channel Fluorescence Microscopy, Matthew T. Rinehart¹, Natan T. Shaked¹, Lisa Satterwhite¹, Adam Wax¹; ¹Biomedical Engineering, Duke Univ., USA. We have developed a novel microscope combining quantitative phase and fluorescence microscopy to perform quantitative analysis of dynamic cardiomyocyte contraction. Phase-based parameters are informed by molecular specificity of fluorescence images.

OTMA • Nanomanipulation and Microfluidics–Continued

OTMA4 • 9.00

Temperature Measurements of Optically Trapped Gold Nanoshells, Brooke C. Hester¹, Gretchen K. Campbell¹, Kristian Helmersen³, Ryan Huschka⁴, Naomi Halas⁴; ¹Physics and Astronomy, Appalachian State Univ., USA; ²Atomic Physics Division, NIST, USA; ³School of Physics, Monash Univ., Australia; ⁴Depts. of Chemistry and of Electrical and Computer Engineering, Rice Univ., USA. We measure the temperature of an optically trapped gold nanoshell by tracking its Brownian motion. Single nanoshells are found to heat significantly, and this heating varies with trap wavelength and particle number.

OTMA5 • 9.15 **Invited**
Title to be Announced, Michal Lipson; Cornell, USA. Abstract not available.

<p>Big Sur Room Bio-Optics: Design and Application (BODA)</p>	<p>Regency 1 & 2 Novel Techniques in Microscopy (NTM)</p>	<p>Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)</p>	<p>Cypress Room Optical Trapping Applications (OTA)</p>
--	--	---	--

NMA • Superresolution I-Continued

NMA6 • 9.45
Imaging Beyond the Diffraction Limit by Electron-Beam Excited Assisted (EXA) Scanning Optical Microscope, Wataru Inami^{1,3}, Yasunori Nawa¹, Akito Chiba², Atsuo Miyakawa^{1,3}, Yoshimasa Kawata^{1,3}, Susumu Terakawa^{2,3}, Atsushi Ono^{1,3}; ¹Shizuoka Univ., Japan; ²Hamamatsu Univ. School of Medicine, Japan; ³CREST, Japan. We propose a new type of scanning optical microscope which has a few tens nanometer spatial resolution laterally and is possible to observe dynamic behaviors of a specimen in various surroundings.

OMB • Novel Probes I-Continued

OMA5 • 9.45
In vivo Estimation of Functional and Structural Characteristics in Epithelial Neoplasia, George Papoutsoglou¹; ¹Electronic & Computer Engineering, Technical Univ. of Crete, Greece. We have developed a method for estimating functional and structural characteristics in cervical neoplasia based on pharmacokinetic modeling of biomarker-tissue interaction and on the solution of the inverse problem through Global Optimization methods.

OTMA • Nanomanipulation and Microfluidics-Continued

OTMA6 • 9.45
Microfluidic Systems Combined with Optical Micromanipulation and Spectroscopy for Live-cell Analysis and Sorting, Zdenek Pilat, Alexandr Jonas, Ota Samek, Jan Jezek, Mojmir Sery, Pavel Zemanek; Inst. of Scientific Instruments of the ASCR, Czech Republic. We have investigated a combination of optical trapping with microspectroscopic techniques and microfluidic chips for advanced biotechnological applications.

10.00–10.30 Coffee Break, Regency Main

10.00–16.00 Exhibits Open, Regency Main

NOTES

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BMB • Multi-Modality Optical Imaging

Monday, 4 April
10.30–12.30
Presider to Be Announced

BMB1 • 10.30 Invited

Title to be Announced, *Joseph Izatt; Duke Univ., USA*. Abstract not available.

BMB2 • 11.00 Invited

Title to be Announced, *Gultekin Gulsen; Univ. of California at Irvine, USA*. Abstract not available.

NMB • Superresolution II

Monday, 4 April
10.30–12.30
Joerg Bewersdorf; Yale Univ., USA, Presider

NMB1 • 10.30 Invited

Optical Tracking Microscopy and Super-Resolution Imaging of Living Cells Beyond the Diffraction Limit, *W. E. Moerner; Stanford Univ., USA*. Abstract not available.

NMB2 • 11.00

Three-Dimensional Super-Resolution Imaging with a Corkscrew Point Spread Function, *Matthew D. Lew^{1,2}, Steven F. Lee², W. E. Moerner²; ¹Electrical Engineering, Stanford Univ., USA; ²Chemistry, Stanford Univ., USA*. We describe the design of a corkscrew point spread function for 3D super-resolution microscopy. To prove the principle, we image fluorescent beads on a patterned PDMS surface, achieving a localization precision of 3 nm in x, 2 nm in y, and 6 nm in z.

NMB3 • 11.15

Double-Helix PSF Microscopy with a Phase Mask for Efficient Photon Collection, *Sean Quirin, Gimni Grover, Callie Fiedler, Rafael Piestun; Electrical, Computer and Energy Engineering, Univ. of Colorado, USA*. We present the first implementation of double-helix phase masks for 3-D microscopy with high photon collection efficiency. The mask is fabricated using gray-level mask-less lithography. The system demonstrates precise 3-D tracking of quantum dots.

OMB • Novel Probes I

Monday, 4 April
10.30–12.15
Konstantin Sokolov; MD Anderson Cancer Center, Univ. of Texas, USA, Presiders

OMB1 • 10.30 Invited

Title to be Announced, *Rebekah Drezek, Rice Univ., USA*. Abstract not available.

OMB2 • 11.00 Invited

Preliminary Intravital Microscopic Analysis Reveals Macrophage Uptake of Circulating Nanotubes and Peptide-Dependent Delivery into Tumor, *Bryan R. Smith¹, Harikrishna Rallapalli², Jennifer Prescher¹, Cristina Zavaleta¹, Jarrett Rosenberg¹, Scott Tabakman², Hongjie Dai², Sanjiv S. Gambhir¹; ¹Radiology/Bioengineering, Stanford Univ., USA; ²Chemistry, Stanford Univ., USA*. Nanoparticle targeting efficiency to tumor is poor and not well-understood. We applied intravital microscopy in a dorsal window chamber model to interrogate vasculature-targeted carbon nanotubes. We found that nanotubes program circulating macrophages to enter tumor.

OTMB • Fundamental Systems

Monday, 4 April
10.30–12.30
Carlos López-Mariscal; NRL, USA, Presider

OTMB1 • 10.30 Invited

Optical Trapping and Cooling of Glass Microspheres, *Mark G. Raizen¹, Tongcang Li¹, Simon Kheifets¹, David Medellin¹; ¹Ctr. for Nonlinear Dynamics and Dept. of Physics, Univ. of Texas at Austin, USA*. We report optical trapping of glass microspheres in air and vacuum, and measurement of Brownian motion of single microspheres at different pressures. We have also cooled the center of mass in vacuum to 2 mK.

OTMB2 • 11.00 Invited

Laser Cooling Optically Trapped Particles, *Peter Barker; Univ. of College London, UK*. In this talk I will report on the development of two methods to cool optically levitated objects. I will outline both cavity and Doppler cooling techniques and report on progress towards cooling particles in an optical fiber trap.

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BMB • Multi-Modality Optical Imaging–Continued

BMB3 • 11.30 Invited
Fluorescence Lifetime Techniques in Multimodal Tissue Diagnostic Platform, *Laura Marcu*; *Biomedical Engineering, Univ. of California Davis, Davis, USA*. We overview fluorescence lifetime techniques for tissue diagnostics and approaches to merging these techniques with ultrasound backscatter microscopy and photoacoustic imaging. Such hybrid system allow for complex tissue characterization at biochemical, morphological, and functional levels.

BMB4 • 12.00 Invited

Combining Optical Coherence Tomography (OCT) and Fluorescence Imaging: Technology and Applications, *Yu Chen*; *Bioengineering, Univ. of Maryland, USA*. I will present our efforts on the development of combining optical coherence tomography (OCT) with fluorescence imaging (including depth-integrated imaging and depth-resolved tomography) for simultaneous morphological and molecular imaging.

NMB • Superresolution II–Continued

NMB4 • 11.30
Nanometric Resolution using Far-Field Optical Tomographic Microscopy in the Multiple Scattering Regime, *Emeric Mudry¹, Jules Girard¹, Guillaume Maire¹, Kamal Belkebir¹, Patrick C. Chaumet¹, Hugues Giovannini¹, Anne Talneau², Anne Sentenac³*; ¹*Inst. Fresnel, Aix-Marseille Univ., France*; ²*CNRS, Lab. Photon et Nanostructure, France*. Optical Tomographic Microscopy is a technique allowing to reconstruct high-resolution 3-D maps of permittivity. We found an experiment case where multiple scattering leads to image resolution beyond diffraction limit.

NMB5 • 11.45
Polarimetry-Based Far-Field Method for High-Resolution Optical Microscopy, *Oscar Rodriguez¹, David Lara², Chris Dainty¹*; ¹*Applied Optics, School of Physics, Natl. Univ. of Ireland, Ireland*; ²*Blackett Lab., Imperial College London, UK*. We present numerical and experimental results of a polarimetry-based far-field method for high-resolution optical microscopy. This method may be used to differentiate between a set of different sub-resolution objects with no need for active scanning.

NMB6 • 12.00
Resolution Enhancement in Confocal Scanning Microscopy by a Radially Polarized Beam with Phase Modulation, *Yuichi Kozawa, Shunichi Sato*; *Inst. of Multidisciplinary Research for Advanced Materials, Tohoku Univ., Japan*. We evaluate spatial resolution in fluorescence confocal scanning microscopy using a radially polarized beam with concentric phase modulation. The enhancement of lateral resolution is predicted with side-lobe suppression due to a confocal aperture.

OMB • Novel Probes I–Continued

OMB3 • 11.30
Plasmonic Gold Nanorods for Depth-Resolved Viscosity in Polarization-Sensitive OCT, *Raghav Chhetri¹, Krystian Kozek², Aaron Johnston-Peck², Joseph Tracy², Amy Oldenburg¹*; ¹*Physics and Astronomy, Univ. of North Carolina at Chapel Hill, USA*; ²*Materials Science and Engineering, North Carolina State Univ. USA*. We demonstrate depth-resolved viscosity via polarized scattering from ensembles of tumbling plasmon-resonant gold nanorods (GNRs) monitored with polarization-sensitive OCT. This has potential for *in vivo* microrheology imaging of fluids such as mucus.

OMB4 • 11.45
Two-Photon Fluorescence Imaging with a Tumor Penetrating Bioconjugate, *Ciceron Yanez¹, Alma R. Morales¹, Takeo Urakami², Masanobu Komatsu³, Kevin D. Belfield¹*; ¹*Dept. of Chemistry, Univ. of Central Florida, USA*; ²*Sanford-Burnham Medical Res. Inst. at Lake Nona, USA*.

OMB5 • 12.00
Two-Photon Fluorescence Vascular Imaging with a New Fluorene-RGD Peptide Conjugate, *Alma R. Morales¹, Ciceron O. Yanez¹, Takeo Urakami³, Masanobu Komatsu³, Kevin D. Belfield^{1,2}*; ¹*Chemistry, Univ. of Florida, USA*; ²*CREOL, College of Optics and Photonics, Univ. of Central Florida, USA*; ³*Sanford-Burnham Medical Res. Inst. at Lake Nona, USA*. Two-photon fluorescence microscopy is a powerful tool in the study of living cells, and tissue microvasculature. Herein, a 2PFM was conducted to evaluate the efficiency of a new 2PA conjugate designed to target $\alpha v\beta 3$ integrins.

OTMB • Fundamental Systems–Continued

OTMB3 • 11.30 Invited
Sensitive Force-Detection with Optically-Levitated Microspheres in Vacuum, *Andrew A. Geraci^{1,2}, Scott B. Papp¹, John Kitching¹*; ¹*NIST, USA*; ²*Physics, Univ. of Nevada, USA*. Optically levitated and cooled dielectric microspheres in vacuum show great promise as resonant force detectors with an expected sub-attoneutron sensitivity. Hence, they can be used to investigate Casimir forces or for testing non-Newtonian gravity.

OTMB4 • 12.00
Momentum Transfer by the Emission of Raman and Fluorescence Photons Detected by an Optically Trapped Probe, *Dmitri Petrov^{1,2}*; ¹*ICFO - Inst. of Photonic Sciences, Spain*; ²*ICREA, Spain*. The momentum transfer to a scatterer from Raman (fluorescence) photons was detected using an optical system that permits one to simultaneously measure the radiation forces exerted on, and the emission from the scatterer.

<p>Big Sur Room Bio-Optics: Design and Application (BODA)</p>	<p>Regency 1 & 2 Novel Techniques in Microscopy (NTM)</p>	<p>Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)</p>	<p>Cypress Room Optical Trapping Applications (OTA)</p>
--	--	---	--

NMB • Superresolution II-Continued

NMB7 • 12.15
Isotropic Diffraction-Limited Focusing Using a Single Lens, *Emeric Mudry, Eric Le Moal, Patrick Ferrand, Anne Sentenac; Inst. Fresnel, France.* Using the time reversal concept, we show that isotropic focusing can be realized by placing a mirror after the focal point and shaping the incident beam. This idea is applied to axial resolution improvement in confocal microscopy.

12.30–13.30 Lunch Break (on your own)



Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BMC • Optical Biosensors I

Monday, 4 April
13.30–15.30
Presider to Be Announced

BMC1 • 13.30 **Invited**

Optofluidic Nano-Plasmonics for Biosensing, *Yeshaiahu Fainman; Univ. of California at San Diego, USA*. We explore metal-dielectric nano-plasmonic structures for localization and resonant transmission of optical fields, investigate fabrication and integration of optofluidic nano-plasmonic systems and explore their applications for biochemical sensing.

NMC•Nonlinear I

Monday, 4 April
13.30–15.30
Eric Potma; Univ. of California at Irvine, USA, Presider

NMC1 • 13.30 **Invited**

Nonlinear Coherent Optical Imaging by Stimulated Radiation Microscopy, *Wei Min, Columbia Univ., USA*. The emerging stimulated radiation microscopy, including stimulated Raman scattering and stimulated emission, provides distinct and powerful image contrasts for non-fluorescent species. Here we present its principles and biomedical applications.

OMC • Clinical/Pre-clinical Applications I

Monday, 4 April
13.30–15.30
Lihong Wang; Washington Univ. in St. Louis, USA, Presider

OMC1 • 13.30

Optical Redox Imaging of Endogenous Contrast for Tissue-Engineered Construct Viability, *Leng-Chun Chen¹, William Lloyd¹, Malavika Chandra², Kenji Izumi², Shiuhyang Kuo², Cynthia Marcelo², Stephen Feinberg², Mary-Ann Mycek¹; ¹Dept. of Biomedical Engineering, Univ. of Michigan, USA; ²Dept. of Oral and Maxillofacial Surgery, Univ. of Michigan, USA*. Endogenous fluorescence redox imaging was developed to noninvasively assess cell viability in 3-dimensional tissue-engineered constructs prior to implantation. A lower redox ratio was observed from samples with higher proliferation.

OMC2 • 1:45 p.m.

Multiwavelength Time-Resolved Measurement of Diffuse Reflectance for Brain Oxygenation Assessment during Hypoxic Challenge Test, *Anna Gerega¹, Wojciech Weigl², Daniel Milej², Piotr Sawosz¹, Ewa Mayzner-Zawadzka², Roman Maniewski¹, Adam Liebert¹; ¹Inst. of Biocybernetics and Biomedical Engineering, Poland; ²Dept. of Anesthesiology and Intensive Care, Medical Univ. of Warsaw, Poland*. Multi-wavelength measurement of time-resolved reflectance signal on the surface of the human head was carried out. The changes of oxy- and deoxyhemoglobin concentration were obtained at 14 wavelengths during controlled hypoxic challenge test.

OTMC • Analysis of Biological Systems

Monday, 4 April
13.30–15.30
Mike MacDonald; Univ. Dundee, UK, Presider

OTMC1 • 13.30 **Invited**

Title to Be Announced, *Gijs Wuite; Virje Univ., Amsterdam*. Abstract not available.

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BMC • Optical Biosensors I–Contributed

BMC2 • 14.00
Surface Plasmon Resonance Optical Fiber Biosensor for Label-Free Characterization of Biomolecular Interactions, Yanina Shevchenko, Tariq Francis, Maria DeRosa, Jacques Albert; Carleton Univ., Canada. A fiber sensor was applied to monitor the interaction of biomolecules. Results indicate that the biosensor can be successfully applied for a wide range of biomolecular characterizations including identification of the biomolecules' binding constants.

BMC3 • 14.15
The Effect of Nano Grating Shapes on the Sensitivity of Guided Mode Resonance Protein Sensor Fabricated by Nano Injection Molding Process, Eikhyun Cho¹, Youra Heo¹, Myungki Jung¹, Jiseok Lim¹, Seokmin Kim², Shinill Kang¹; ¹Mechanical Engineering, Yonsei Univ., Republic of Korea; ²Mechanical Engineering, Chung-Ang Univ., Republic of Korea. We investigated the effect of nano grating shapes on the sensitivity of nano injection molded guided-mode-resonance protein sensor. To confirm the profile effect, we performed design, fabrication and performance evaluation.

BMC4 • 14.30
Photonic Crystal Enhanced Microscopy: Multimode Imaging for Photonic Crystal Biosensors, Vikram Chaudhery¹, Erich Lidstone², Sherine George², Cheng-Sheng Huang¹, Anja Kohl², Patrick Mathias², Brian Cunningham^{1,2}; ¹Electrical and Computer Engineering, Univ. of Illinois Urbana-Champaign, USA; ²Bioengineering, Univ. of Illinois Urbana-Champaign, USA. Photonic Crystal Enhanced Microscopy (PCEM) utilizes the optical resonances of photonic crystal surfaces for label-free biosensor imaging and amplification of fluorescence. We describe the application of PCEM to biomolecular and cell-based assays.

NMC•Nonlinear I–Continued

NMC2 • 14.00
Picosecond CARS Spectral Imaging with Principal Component Analysis, Jeffrey L. Suhalim^{1,2}, Ryan S. Lim¹, Moshé Levi³, Bruce J. Tromberg^{1,2}, Eric Potma^{1,3}; ¹Beckman Laser Inst. and Medical Clinic, Univ. of California at Irvine, USA; ²Department of Biomedical Engineering, Univ. of California at Irvine, USA; ³Dept. of Chemistry, Univ. of California at Irvine, USA; ⁴Division of Renal Diseases and Hypertension, Univ. of Colorado, USA. We demonstrate the utility of picosecond spectral coherent anti-Stokes Raman scattering imaging with principal component analysis to rapidly map lipophilic components in cardiovascular tissues, facilitating the interrogation of atherosclerosis.

NMC3 • 14.15
Wavelength-Swept Coherent Anti-Stokes Raman Scattering Spectroscopy System for Hyperspectral Imaging, Steve Begin^{1,2}, Bryan Burgoynes³, Alain Villeneuve³, Vincent Mercier³, Réal Vallée², Daniel Cote^{1,2}; ¹Centre de Recherche Univ. Laval Robert-Giffard (CRULRG), Univ. Laval, Canada; ²Centre d'Optique, Photonique et Laser (COPL), Univ. Laval, Canada; ³Genia Photonics Inc., Lasalle, Canada. We present hyper spectral imaging in the high wavenumber region of thick tissue samples made possible by a wavelength-swept CARS spectroscopy system where the Raman lines are excited sequentially at rates of up to 50,000 wavenumber per seconds.

NMC4 • 14.30 **Invited**
Enhancing Resolution and Contrast in Coherent Raman Microscopy: Towards Superresolution Chemical Imaging, Stephan Stranick¹, Hyun Min Kim^{1,2}; ¹NIST, USA; ²Joint Quantum Inst., Univ. of Maryland, USA. We will detail our efforts to extend the contrast and resolution of coherent Raman scattering microscopy through the combination of spatial light modulator generated, annular-phase masks and the two color nature of Coherent Raman scattering.

OMC • Clinical/Pre-clinical Applications I–Continued

OMC3 • 14.00
Optical Monitoring of Tracers and Mitoxantrone in Rabbit Brain and the Variability in Blood-Brain Barrier Disruption, Aysegül Ergin¹, Mei Wang², Shailendra Joshi², Irving J. Bigio¹; ¹Department of Biomedical Engineering, Boston Univ., USA; ²Dept. of Anesthesiology, College of Physicians and Surgeons of Columbia Univ., USA. Intraarterial mannitol is the main method to disrupt blood-brain barrier. The data collected using optical pharmacokinetics revealed variation in disruption in rabbits. Optical monitoring could help better understand the drug pharmacokinetics.

OMC4 • 14.15
Time-Resolved Fluorescence Spectroscopy of the Bile Duct for Image-Guided Cancer Diagnosis, Javier A. Jo¹, Javier A. Jo¹, Matthew W. Miller², Eric J. Seibel³; ¹Biomedical Engineering, Texas A&M Univ., USA; ²Veterinary Medicine, Texas A&M Univ., USA; ³Mechanical Engineering, Univ. of Washington, USA. An ultra thin (1.2-1.6 mm diameter) scanning fiber endoscope, capable of video-rate high-resolution imaging of the bile duct, will be used as a "guidewire-with-eyes" to guide time-resolved fluorescence spectroscopy of the duct for cancer diagnosis.

OMC1 • 14.30 **Invited**
Title to be Announced, Stanislav Emelianov; Univ. of Texas at Austin, USA. Abstract not available.

OTMC • Analysis of Biological Systems–Contributed

OTMC2 • 14.00
Multi-trap Raman Tweezers Integrated with Phase Contrast and Fluorescence Microscopy for Monitoring Biological Dynamics of Individual Cells, Pengfei Zhang¹, Lingbo Kong¹, Yong-qing Li¹; ¹East Carolina Univ., USA. We report the development of a multiple-trap Raman tweezers array integrated with phase contrast and fluorescence microscopy for simultaneously acquiring Raman spectra, refractility, and fluorescence images of multiple individual cells.

OTMC3 • 14.15
Surface Scanning with Optically Trapped Probes, Lars Friedrich¹, Alexander Rohrbach¹; ¹Microsystems Technology, Univ. of Freiburg, Germany. Optically trapped beads with diameters below 500 nm are scanned across surface structures. The elongation of the probe from the trap center is measured interferometrically and the height profile of the sample is recovered.

OTMC4 • 14.30 **Invited**
Title to be Announced, Pietro Cicuta; Cambridge Univ., UK. Abstract not available.

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BMC • Optical Biosensors I–Contributed

NMC•Nonlinear I–Continued

OMC • Clinical/Pre-clinical Applications I–Continued

OTMC • Analysis of Biological Systems–Contributed

BMC5 • 14.45

Mode Splitting in Whispering-Gallery-Mode Microresonators in Aquatic Environment, *Woosung Kim¹, Sahin K. Ozdemir¹, Jianguang Zhu¹, Lina He¹, Lan Yang¹*; ¹Electrical Engineering, Washington Univ., St.Louis, USA. We demonstrate scatterer-induced mode splitting in Whispering-Gallery-Mode resonators as a new sensing scheme in water. It is used to achieve detecting polystyrene particles of radii 50nm with a similar size as influenza A virus.

BMC6 • 15.00

Study of the Dynamics of Protein Aggregation with a Bloch Surface Wave Sensor, *Vincent Paeder¹, Valeria Musi², Hans Peter Herzig¹*; ¹EPFL, Switzerland. We present a study of the dynamics of protein aggregation using an interferometric Bloch surface wave sensing scheme. We demonstrate the ability to detect, during thermal incubation, the aggregation of proteins related to conformational diseases.

BMC7 • 15.15

Screening Small Molecule Compounds for Protein Ligands with Label-Free, Optically Detected Microarrays, *Xiangdong Zhu¹*; ¹Physics, Univ. of California at Davis, USA. We developed an optical scanner for label-free screening small molecule compounds in microarray format for protein ligands. It has a detection throughput of 12,000 compounds per slide and thus promises screening 100,000 compounds daily.

NMC5 • 15.00

Remote Focusing Differential Multiphoton Microscopy: Application to Neuronal Imaging, *Erich E. Hoover¹, Michael D. Young¹, Susy M. Kim², Eric V. Chandler¹, Jeffrey J. Field¹, Dawn N. Vitek¹, Kraig E. Sheetz³, Jing W. Wang², Jeff A. Squier³*; ¹Physics, Colorado School of Mines, USA; ²Biological Sciences, Univ. of California at San Diego, USA; ³Physics and Nuclear Engineering, United States Military Academy, USA. We apply remote focusing to multi-focal multiphoton microscopy by simultaneously imaging multiple focal planes of *Drosophila melanogaster* olfactory neurons. This technology permits imaging the entire volume of the antennal lobe in a single scan.

NMC6 • 15.15

Laser Microsurgery for Two-Photon Imaging in Fruit Flies, *Supriyo Sinha¹, Liang Liang¹, Eric Ho¹, Liqun Luo^{1,2}, Tom Baer¹, Mark Schmitzer^{1,2}*; ¹Stanford Univ., USA; ²Howard Hughes Medical Inst., USA. We demonstrate precise, minimally invasive, laser microsurgery of the fruit fly cuticle for in vivo brain imaging. Following surgery, flies behave normally, as determined by their phototaxis. We recorded odor-evoked calcium transients with 60.

OMC2 • 15.00 **Invited**

Translational Advances in Reflectance Confocal Microscopy of Skin Cancer: Machine Learning-Based Image Classification, and Tumor Mapping in Shave Biopsy Wounds, *Milind Rajadhyaksha*; *Dermatology Service, Memorial Sloan-Kettering Cancer Ctr., USA*. Translational advances in reflectance confocal microscopy of skin cancers include automated methods to localize the dermo-epidermal junction, and imaging of residual tumor with a contrast agent in shave biopsy wounds toward intra-operative mapping.

OTMC5 • 15.00

The Electrostatic Corral: Trapping Single DNA Molecules in Solution, *Jorg C. Woehl, Christine A. Carlson*; *Chemistry and Biochemistry, Univ. of Wisconsin-Milwaukee, USA*. In this contribution, we will discuss a novel and elegant approach for the trapping and manipulation of single biomolecules and other particles over extended periods of time free in solution: the electrostatic corral.

OTMC6 • 15.15

Concentration-Independent Modulation of Local Micromechanics in a Fibrin Clot, *Elliot L. Botvinick^{1,2}*; ¹Beckman Laser Inst., Univ. California Irvine, USA; ²Dept. of Biomedical Engineering, Univ. of California at Irvine, USA. Optical tweezers active microrheology (AMR) probes microdomain mechanical properties in 3-D engineered tissues. The application of a nonuniform strain field setups up distributed stiffness, measured by AMR, which yields differential cell phenotypes.

15.30 –16.00 Coffee Break, Regency Main

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BMD • Optical Biosensors II

Monday, 4 April
16.00–18.00
Presider to Be Announced

BMD1 • 16.00 Invited

Title to be Announced, *Lan Yang*; Washington Univ. in St. Louis, USA. Abstract not available.

NMD • Nonlinear II

Monday, 4 April
16.00–17.45
Wei Min; Columbia Univ., USA, *Presider*

NMD1 • 16.00
***In situ* Measurement of Sarcomere Length in Cardiac Myocytes Using a Two-Photon Microscope with Near-Isotropic Scan Rate**, *Alex D. Corbett¹, Gil Bub², Tony Wilson¹*; ¹Engineering Science, Univ. of Oxford, UK; ²Physiology, Anatomy and Genetics, Univ. of Oxford, UK. Images are presented showing sarcomere spacing within a living rodent heart. To uniquely identify the sarcomere spacing, two 2-D sections, angularly offset from each other, were sampled at high frame rate.

NMD2 • 16.15
Nonlinear Optical Imaging with Sub-8fs Laser Pulses, *Dmitry Pestov¹, Bingwei Xu¹, Haowen Li¹, Marcos Dantus^{2,1}*; ¹Biophotonic Solutions Inc, USA; ²Chemistry, Michigan State Univ., USA. Broadband Ti:Sapphire oscillator output, guided through a pulse shaper, is compressed down to sub-8fs at the focus of a high-NA microscope objective. The compression is verified *in situ* by interferometric autocorrelation, and images were obtained.

NMD3 • 16.30
Nonlinear Phase Contrast Imaging in Neuronal Tissue, *Prathyush Samineni¹, Martin Fischer¹, Henry C. Liu¹, Ryohei Yasuda², Warren S. Warren²*; ¹Chemistry, Duke Univ., Durham, USA; ²Neurobiology, Duke Univ., USA; ³Chemistry, Radiology and Biomedical Engineering, Duke Univ., USA. We demonstrate nonlinear phase contrast imaging in highly scattering media using rapid femtosecond pulse shaping of mode-locked laser pulses. We will also discuss potential applications of this technique for intrinsic functional neuronal imaging.

OMD • Novel Probes II

Monday, 4 April
16.00–17.30
Rebekah Drezek; Rice Univ., USA, *Presider*

OMD1 • 16.00 Invited
Luminescent Nanodiamonds for Intracellular Imaging, *Andrei V. Zvyagin¹, Varun K. Sreenivasan¹, Timothy A. Kelf¹, Sergey M. Deyev²*; ¹Physics and Astronomy, Macquarie Univ., Australia; ²Shemyakin and Ovchinnikov Inst. of Bioorganic Chemistry, Russian Federation. Advances in production of single-digit luminescent nanodiamonds are reported. We report a versatile bioconjugation protocol to dock biomolecules on the colloidal diamond leading to demonstration of non-specific and specific internalisations in cells.

OMD2 • 16.30
Ultrasound-Quenchable Fluorescent Contrast Agent: Experimental Demonstration, *Michael J. Benchimol¹, Mark J. Hsu², Carolyn E. Schutt¹, Sadik C. Esener¹*; ¹Jacobs School of Engineering, Univ. of California at San Diego, USA; ²Ziva Corp., USA. We have developed a novel contrast agent for deep tissue imaging. Ultrasound control of fluorescence emission can overcome the resolution limitations of optical tissue scattering. Fluorescence modulation was detected in an acousto-fluorescence setup.

OTMD • Trapping with Shaped Beams

Monday, 4 April
16.00–18.00
Presider to Be Announced

OTMD1 • 16.00 Invited
Micro- and Nanoparticle Optical Trapping Using Cylindrical Vector Beams, *Phil Jones¹, Susan Skelton¹, Marios Sergides¹, Agata Pawlikowska^{1,2}, Onofrio Marago³*; ¹Physics and Astronomy, Univ. of College London, UK; ²Natl. Physical Lab., UK; ³CNR-Inst. per i Processi Chimico-Fisici, Italy. We report on the optical trapping of a number of micro- and nanoparticles using beams with a non-uniform state of polarization and show how geometry of the trap can be shaped by the polarization state.

OTMD2 • 16.30
Engineered Point Spread Functions for 3-D Parallel Particle Tracking of Optically Trapped Particles, *Donald B. Conkey¹, Rahul P. Trivedi², Prassanna Pavani¹, Ivan I. Smalyukh², Rafael Piestun^{1,2}*; ¹Electrical and Computer Engineering, Univ. of Colorado at Boulder, USA; ²Physics, Univ. of Colorado at Boulder, USA. We integrate a holographic optical tweezer system with a double-helix point spread function imaging for high precision three-dimensional (3-D) multi-particle tracking. We perform precise quantitative estimates of the 3-D forces in an optical trap.

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BMD • Optical Biosensors II–Contributed

BMD3 • 16.45

A Novel Monte Carlo Approach for Diagnostic Fiber Optic Probe Design, Adam R. Gardner^{1,2}, Carole Hayakawa^{1,2}, Jerome Spanier², Vasan Venugopalan^{1,2}; ¹Chemical Engineering and Materials Science, Univ. of California at Irvine, USA; ²Laser Microbeam and Medical Program, Beckman Laser Inst., Univ. of California at Irvine, USA. A radiative transport method based on efficient coupled forward-adjoint Monte Carlo simulations is used for the analysis of diagnostic fiber optic probes. Results are shown for various probe geometries within a layered tissue model.

BTuC4 • 17.00 **Invited**

Cataract Surgery with OCT-guided Femtosecond Laser, Daniel Palanker¹, Georg Schuele², Neil Friedman¹, Dan Andersen², William Culbertson³; ¹Ophthalmology, Stanford Univ., USA; ²OptiMedica Corp., USA; ³Bascom Palmer Eye Inst., USA. About a third of people in the developed world will undergo cataract surgery in their lifetime. Currently, cataract surgery is a manual procedure highly dependent on the surgical skills and complicating factors. We developed and tested an image-guided laser system to improve the precision and reproducibility of cataract surgery. A long-range Optical Coherence Tomography automatically discerns the anterior and posterior surfaces of the lens and cornea, and a co-registered femtosecond laser then performs capsulotomy, lens segmentation and corneal incisions.

NMD • Nonlinear II–Contributed

NMD4 • 16.45

Beyond Pathology: Pump-Probe Imaging of Skin Slices Provides Additional Indicators of Melanoma, Mary Jane Simpson¹, Thomas Matthews¹, Angelica Selim², Ivan Piletic¹, Warren S. Warren¹; ¹Chemistry, Duke Univ., USA; ²Pathology, Duke Univ. Medical Center, USA. Principal component analysis of images taken with a pump-probe scanning microscope resolves eumelanin and pheomelanin. Utilizing intrinsic melanin contrast in skin slices has revealed significant differences between melanoma and other lesions.

NMD5 • 17.00

Development of Multi-Photon Coherence Domain Molecular Imaging, Brian E. Applegate¹, Qiujiu Wan¹, Nilanthi Warnasooriya¹; ¹Biomedical Engineering, Texas A&M Univ., USA. We have recently developed a high-resolution molecular imaging technique by fusing pump-probe spectroscopy and optical coherence microscopy. Basic concepts and progress toward improving imaging speed and spectral resolution will be discussed.

NMD6 • 17.15

Multiphoton Photothermal Imaging in Scattering Samples, Michael Durst¹, Jerome Mertz²; ¹Dept. of BME, Boston Univ., USA. We present multiphoton photothermal imaging of non-fluorescent, absorbing structures in scattering samples. Wide-field LED probe illumination is collected and de-scanned through a confocal pinhole. Nanoparticle and brain-slice imaging are presented.

OMD • Novel Probes II–Contributed

OMD3 • 16.45

Folate Receptor-targeted Aggregation-enhanced Emission Silica Nanoprobe for One-photon *in vivo* and Two-photon *ex vivo* Fluorescence Bioimaging, Xuhua Wang¹, Alma R. Morales¹, Takeo Urakami², Masanobu Komatsu², Kevin D. Belfield¹; ¹Dept. of Chemistry, Univ. of Central Florida, USA; ²Sanford-Burnham Inst. for Medical Res. at Lake Nona, USA. A two-photon absorbing, aggregation-enhanced near infrared emission and folic acid conjugated silica nanoprobe was investigated for FRs targeting one-photon *in vivo* imaging and two-photon *ex vivo* imaging by employing nude mice bearing HeLa tumors.

OMD4 • 17.00

Two-photon Absorbing Fluorene Derivatives with Efficient Stimulated Emission Depletion (STED) for Bioimaging, Kevin D. Belfield², Mykhailo V. Bondary^{1,2}, Alma R. Morales², Olga V. Przhonska¹, Xuhua Wang²; ¹Inst. of Physics, Ukraine; ²Dept. of Chemistry, Univ. of Central Florida, USA. Stimulated emission depletion (STED) is emerging as an important photophysical process for superresolution microscopy. We report a new STED probe, its photophysical characterization, and potential use in bioimaging.

OMD5 • 17.15

Near-Infrared Emitting Squaraine Dyes for Multiphoton Fluorescence Imaging with High 2PA Cross Sections, Hyo-Yang Ahn¹, Sheng Yao¹, Xuhua Wang¹, Kevin D. Belfield¹; ¹Chemistry, Univ. of Central Florida, USA. New near-infrared squaraine probe SQ-X (1), and squaraine dye, SQ44OH (2), were investigated for their photochemical properties and cytotoxicity. *In vitro* one-photon and two-photon fluorescence microscopy imaging was demonstrated.

OTMD • Trapping with Shaped Beams–Contributed

OTMD3 • 16.45

Mapping of the Optical Field of a Focused Cylindrical Vector Beam by Trapped Rayleigh Particles, Liangcheng Zhou¹, Qiwen Zhan¹, Daniel Ou-Yang¹; ¹Physics, Lehigh Univ., USA; ²Electro-Optics Graduate Program, Univ. of Dayton, USA. We propose a non-invasive method of mapping the optical field of a tightly focused laser beam by imaging transiently trapped nanoparticles. Optical field intensities are calculated from known trapping energy of the probe particles.

OTMD4 • 17.00 **Invited**

Holographic Optical Traps and Spectroscopic Detection for Probing Cellular Releasates, Daniel R. Burnham¹, Thomas Schneider¹, Daniel T. Chiu¹; ¹Dept. of Chemistry, Univ. of Washington, USA. We will discuss the implementation and considerations for combining holographic optical tweezers with spatially resolved spectroscopic detection in order to visualize chemical communication between cells.

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BMD • Optical Biosensors II-Contributed

NMD • Nonlinear II-Contributed

OMD • Novel Probes II-Contributed

OTMD • Trapping with Shaped Beams-Contributed

BTuC5 • 17.30 **Invited**
Intrinsic Optical Signal Imaging of Stimulus-Evoked Neural Activities in the Retina, *Xincheng Yao, Yangguo Li, Yichao Li, Qiuxiang Zhang; Univ. of Alabama at Birmingham, USA.* Intrinsic optical signal (IOS) imaging and electrophysiological recording were used to detect retinal neural activities. IOS imaging allowed dynamic monitoring of visual signal propagation from the photoreceptor to inner retinal neurons.

NMD7 • 17.30
Temperature Distribution in Red Blood Cells Using Photothermal Imaging Integrated with Digital Holography, *George Chen¹, Sripathsan Vasudevan², Beng Koon Ng²; ¹BC Photonics Technological Co, Canada; ²School of EEE, Nanyang Technological Univ., Singapore.* Integration of digital holographic microscope with photothermal microscope is proposed. Besides obtaining 3-D images, temperature distribution of red blood cells can be obtained, aiding real-time monitoring of biological assays.

OTMD5 • 17.30
Polarization Dependent Forces in Optical Vortex Pipeline, *Niko Eckerskorn¹, Wieslaw Krolikowski¹, Vladlen Shvedov¹, Andrei Rode¹; ¹Australian Natl. Univ., Australia.* We study both, theoretically and in experiments, the dependence of optical forces acting on a spherical particle guided in air with an optical vortex beam, on the light polarization state, and discuss potential applications.

OTMD6 • 17.45
Loading Aerosol Optical Traps using Surface Acoustic Wave Devices, *David McGloin¹, Suman Anand¹, Jonathan Nytk¹, Calvin Dodds¹, Steve L. Neale², Jonathan Cooper²; ¹Electronic Engineering and Physics, Univ. of Dundee, UK; ²Dept. of Electronics, Univ. of Glasgow, UK.* We make use of surface acoustic wave nebulization to introduce airborne particles into optical traps in a robust and repeatable manner. We demonstrate the facile loading of aerosols such as organic liquids and solid particles.

19.00-Welcome Reception, Spyglass Promenade

NOTES

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

Tuesday, 5 April, 2011

7.30–18.00 Registration Open, Regency Foyer South

BTuA • Bio-Inspired Optics

Tuesday, 5 April
8.00–10.00
Presider to Be Announced

NTuA • Imaging Through Tissue

Tuesday, 5 April
8.00–10.00
Eric Potma; Univ. of California at Irvine, USA, Presider

OTuA • Advances in Instrumentation or Algorithms II

Tuesday, 5 April
8.00–10.00
Milind Rajadhyaksha; Memorial Sloan Kettering Cancer Ctr., USA, Presider

OTTuA • Trapping Techniques and Applications I

Tuesday, 5 April
8.00–10.00
Steve Neale, Univ. Glasgow, UK, Presider

BTuA1 • 8.00 Invited

Medical Imaging Systems Using Bio-Inspired Fluidic Lenses, *Yuhtwa Lo, Frank Tsai, Ashkan Arianpour; ECE, Univ. of California at San Diego, USA.* We discuss fluidic lens imaging systems for minimally invasive and image-guided cancer surgery. The system offers many unique capabilities such as optical zoom, macro and microscopic functions, high sensitivity, hyper spectral imaging, etc.

NTuA1 • 8.00 Invited

Optical Methods for Imaging of Cerebral Hemodynamics, *Andrew Dunn; Univ. of Texas at Austin, USA.* Abstract not available.

OTuA1 • 8.00 Invited

Title to Be Announced, *Vasilis Ntziachristos; Germany.* Abstract not available.

OTTuA1 • 8.00 Invited

Optical Sculpting: Trapping through Disorder, *Kishan Dholakia; USA.* Abstract not available.

BTuA2 • 8.30 Invited

Title to be Announced, *Tony Wilson; Univ. of Oxford; UK.* Abstract not available.

NTuA2 • 8.30 Invited

Towards Deep Tissue Imaging By Time-Reversal Optical Phase Conjugation Techniques, *Changhuei Yang; California Inst. of Technology, USA.* Towards deep tissue imaging by time-reversal optical phase conjugation techniques.

OTuA2 • 8.30 Invited

Fluorescence Lifetime Imaging for Cell Biology, Drug Discovery and Label-Free Diagnosis, *Paul French¹; ¹Physics, Imperial College London, UK.* I will present FLIM technology to read out biomolecular interactions across the scales from labeled proteins in solution and in cells through automated plate readers to imaging disease models and endoscopic diagnosis using autofluorescence.

OTTuA2 • 8.30

Improving Spot Uniformity in Holographic Optical Tweezers, *Martin Persson¹, David Engström¹, Jörgen Bengtsson², Mattias Goksör¹; ¹Physics, Univ. of Gothenburg, Sweden; ²Microtechnology and Nanoscience, Chalmers Univ. of Technology, Sweden.* We have developed a method for compensating for crosstalk between adjacent pixels in liquid crystal based spatial light modulators. The method decreases the uniformity error of the trap intensities in holographic optical tweezers (HOT) systems.

OTTuA3 • 8.45

Integrated Instrument for Holographic Optical Trapping and Multicolor Holographic Video Microscopy, *Bhaskar Jyoti Krishnatreya¹, David G. Grier¹; ¹Dept. of Physics and Ctr. for Soft Matter Res., New York Univ., USA.* We designed and constructed an integrated holographic materials characterization and processing workstation that combines dynamical holographic optical trapping and multicolor holographic video microscopy with enhanced efficiency and adaptability.

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BTuA • Bio-Inspired Optics—Continued

BTuA3 • 9.00

Design of a Parallel 3-D Confocal Imaging System with Adaptive Objective Lens, Guoqiang Li, Xiao Fang, Dongxue Zhao; *Univ. of Missouri at St. Louis, USA.* A nontranslational 3-D confocal imaging system using an adaptive objective lens for depth scanning over a 1mm range and a MEMS mirror array for parallel transverse sampling has been designed with a 2µm transverse resolution

BTuA4 • 9.15

Optomechanical Fluid-Filled Model of the Human Eye, Ashkan Arianpour, Eric Tremblay, Joseph Ford, Yuhwa Lo; *Univ. of California San Diego, USA.* The following describes the design and performance of an optomechanical fluid-filled eye model and its use for testing flaws in an actual eye using optical components that can be modified to match an individual's eye.

BTuA5 • 9.30

Invited

Revisiting the Stiles-Crawford Effect in Retinal Imaging, Brian Vohnsen; *School of Physics, Univ. College Dublin, Ireland.* Efficient photoreceptor light coupling benefits both vision and high-resolution retinal imaging. Here, the related Stiles-Crawford effect is analyzed in relation to scanning retinal imaging and the situation of a coherent fiber-bundle retina model.

NTuA • Imaging Through Tissue—Continued

NTuA3 • 9.00

Invited

Imaging Through an Opaque Material, Sylvain Gigan, Sébastien M. Popoff, Geoffroy Lerosey, Rémi Carminati, Mathias Fink, Albert C. Boccara; *Inst. Langevin, ESPCI ParisTech, France.* We introduce a method to measure the transmission matrix of a complex medium in optics, thanks to a spatial light modulator. Using this matrix, we demonstrate experimentally light focusing and imaging through an opaque medium.

NTuA4 • 9.30

Coherent Optical Imaging Through Opaque Layers, Elbert G. van Putten; *Univ. of Twente, Netherlands.* We demonstrate imaging of gold nanostructures through an opaque scattering layer. We obtained a very high resolution proving that scattering can significantly improve the image quality in microscopy.

OTuA • Advances in Instrumentation or Algorithms I—Continued

OTuA3 • 9.00

Invited

Photothermal Optical Coherence Tomography for Molecular Imaging, Melissa Skala^{1,2}, Matthew Crow², Adam Wax², Joseph Izatt²; ¹*Biomedical Engineering, Vanderbilt Univ., USA;* ²*Biomedical Engineering, Duke Univ., USA.* Molecular imaging using Photothermal Optical Coherence Tomography (OCT) was demonstrated with antibody-conjugated gold nanoparticles in phantoms and tissue constructs. Specific imaging of the epidermal growth factor receptor (EGFR) was confirmed.

OTuA4 • 9.30

An MR compatible Frequency Domain Fluorescence Molecular Imaging System: Design and Phantom Studies, Yuting Lin¹, Michael Ghijsen¹, Hao Gao^{2,1}, Orhan Nalcioglu¹, Gultekin Gulsen¹; ¹*Ctr. for Functional Onco Imaging, Univ. of California at Irvine, USA;* ²*Applied Mathematics, Univ. of California at Los Angeles, USA.* In this study, a hybrid MR-frequency domain fluorescence tomography (FT) is developed. The phantom studies show that the anatomical images from MRI improve reconstruction of both fluorescence concentration and lifetime parameters significantly.

OTTuA • Trapping Techniques and Applications I—Continued

OTTuA4 • 9.00

Invited

Transportation of a Micro Droplet by Light Irradiation: The Influence of an Advection and the Marangoni Effect, Takafumi Iwaki¹; ¹*Fukui Inst. for Fundamental Chemistry, Kyoto Univ., Japan.* Photophoresis of a micro droplet induced by a photo-thermal force is discussed. In particular, a feedback process between an internal flow and a surface temperature is considered in terms of advections and the Marangoni effect.

OTTuA5 • 9.30

Sub-Micron Patterning of Rough Surfaces Using Optical Trap Assisted Nanopatterning, Romain Fardel¹, Yu-Cheng Tsai¹, Craig B. Arnold¹; ¹*Mechanical and Aerospace Engineering, Princeton Univ., USA.* Optical trap assisted nanopatterning is used to write sub-micron features on substrates with pre-existing topography. Uniform patterns are successfully written across a large-scale trench on a polyimide surface.

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

NTuA • Imaging Through Tissue—Continued

NTuA5 • 9.45
Genetic Algorithm Optimization of Phase Masks for Focusing Light through Turbid Media, *Donald B. Conkey, Albert Brown, Antonio Caravaca, Rafael Piestun; Electrical and Computer Engineering, Univ. of Colorado at Boulder, USA.* We introduce genetic algorithms for wave-front control to focus light through scattering media. Genetic algorithms are attractive, because of their parallelism and global optimization properties.

OTuA • Advances in Instrumentation or Algorithms II—Continued

OTuA5 • 9.45
Two-Dimensional Surface Plasmon Resonance (SPR) Biosensor based on Infrared Imaging, *Chi Lok Wong², George Chen¹, Beng Koon Ng²; ¹BC Photonics Technological Co., Canada; ²School of EEE, Nanyang Technological Univ., Singapore.* A surface plasmon resonance imaging biosensor based on IR imaging is demonstrated. A sensor resolution of 9.4×10^{-6} RIU is achieved which is better than reported by conventional intensity based SPR imaging sensors.

OTTuA • Trapping Techniques and Applications I—Continued

OTTuA6 • 9.45
Optical Manipulation in the Evanescent Field of a Nanofiber via Spatial Light Modulation, *Mary Frawley^{1,2}, Alex Petcu-Colan^{1,2}, Sile Nic Chormaic^{1,2}; ¹Physics Dept., Univ. College Cork, Ireland; ²Photonics Ctr., Tyndall National Inst., Ireland.* We propose to selectively generate higher order mode superposition in an optical nanofiber. By adiabatically coupling Gaussian and SLM-generated Laguerre-Gaussian beams into the fiber, trapping sites form in the evanescent field at the fiber waist.

10.00–10.30 Coffee Break, Regency Main
10.00–16.00 Exhibits Open, Regency Main

NOTES

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BTuB • Visual Optics

Tuesday, 5 April
10.30–12.30
Presider to Be Announced

BTuB1 • 10.30 Invited

Optical Engineering for Intra-Ocular Lens (IOL) Selection and Customization, *Chris Dainty¹, Alexander Goncharov⁴, Diana Bogusevski², Patrick Collins¹, Arthur Cummings³, Huanqing Guo⁴, Eugene Ng³, Anton Sharapov¹, Matt Sheehan¹, Kevin Smith²; ¹School of Physics, Nat'l. Univ. of Ireland Galway, Ireland;*

²Nat'l. Digital Res. Ctr., Ireland;
³ClearSight Ltd, Ireland. We describe new methodologies for the selection of the most appropriate power of intra-ocular lens (IOL) in cataract surgery, and how one might develop customized solutions for IOLs.

BTuB2 • 11.00 Invited

Title to be Announced, *Christian Sandstedt; Calhoun Vision, Inc., USA.* Abstract not available.

NTuB • Phase I

Tuesday, 5 April
10.30–12.30
Randy Bartels, Colorado State Univ., USA, Presider

NTuB1 • 10.30 Invited

Random and Deterministic Transport in Live Cells Quantified by SLIM, *Gabriel Popescu¹; ¹Electrical and Computer Engineering, Univ. of Illinois at Urbana-Champaign, USA.* We used quantitative phase imaging to measure the dispersion relation, i.e. decay rate vs. spatial mode, $\gamma(q)$, associated with mass transport in live cells.

We used quantitative phase imaging to measure the dispersion relation, i.e. decay rate vs. spatial mode, $\gamma(q)$, associated with mass transport in live cells.

NTuB2 • 11.00

Tomographic Reconstruction by Quantitative Phase Imaging with Broadband Fields, *Zhuo Wang, Daniel Marks, Scott Carney, Mustafa Mir, Gabriel Popescu; Electrical and Computer Engineering, Univ. of Illinois at Urbana-Champaign, USA.* We developed a theoretical and experimental approach that allows for solving the 3D scattering inverse problem via quantitative phase imaging with broadband fields.

NTuB3 • 11.15

Real-Time Quantitative Phase and Dual-Channel Fluorescence Microscopy for Studying Cellular and Biomolecular Dynamics, *Matthew T. Rimehart, Natan T. Shaked, Lisa Satterwhite, Adam Wax; Biomedical Engineering, Duke Univ., USA.* We have developed a microscope that simultaneously captures quantitative phase measurements and two distinct fluorescence images on a single camera. This microscope is an effective tool for investigating cellular dynamics with molecular specificity.

OTuB • Clinical/Pre-clinical Applications II

Tuesday, 5 April
10.30–12.30
Paul French; Imperial College London, UK, Presider

OTuB1 • 10.30 Invited

Optical Techniques for Tracking Cells in vivo, *Charles P. Lin; Wellman Ctr. for Photomed, Harvard Med School, Massachusetts General Hospital, USA.* I will focus on tracking cancer cells, immune cells, and stem cells *in vivo* using (i) intravital microscopy for 3-D tissue imaging, and (ii) *in vivo* flow cytometry for detection and quantification of circulating cells.

I will focus on tracking cancer cells, immune cells, and stem cells in vivo using (i) intravital microscopy for 3-D tissue imaging, and (ii) in vivo flow cytometry for detection and quantification of circulating cells.

OTuB2 • 11.00 Invited

FLIM in Ophthalmology - a Diagnostic Tool for Metabolic Mapping, *Dietrich Schweitzer¹, Matthias Klemm², Stefan Schenke¹, Silvio Quick¹, Lydia Deutsch¹, Susanne Jentsch¹, Martin Hammer¹; ¹Experimental Ophthalmology, Univ. of Jena, Germany; ²Biomedical Technique and Informatics, Technical Univ. Ilmenau, Germany.* A laser scanner ophthalmoscope for measurement of time-resolved fluorescence of endogenous fluorophores was developed for detection of metabolic alteration in age-related macular degeneration, retinal vessel occlusion, and diabetic retinopathy.

OTTuB • Trapping Techniques and Applications II

Tuesday, 5 April
10.30–12.30
Daniel Burnham, Univ. of Washington, USA, Presider

OTTuB1 • 10.30 Invited

Title to be Announced, *Tony J. Huang; Penn State, USA.* Abstract not available.

Title to be Announced, Tony J. Huang; Penn State, USA. Abstract not available.

OTTuB2 • 11.00

Fiber-Based Dual-Beam Optical Trapping System for Studying Lipid Vesicle Mechanics, *Tessa M. Pinon¹, Linda S. Hirst², Jay E. Sharping²; ¹School of Engineering, Univ. of California at Merced, USA; ²School of Natural Sciences, Univ. of California at Merced, USA.* We describe the mechanics of giant unilamellar vesicles (GUVs) which are manipulated using a fiber-based dual-beam optical trap. We prepare GUVs encapsulating various concentrations and molecular weights of poly(ethylene glycol) (PEG) polymer.

OTTuB3 • 11.15

Microfluidic Particle Manipulation on Electro-Optic Surfaces, *Michael Esseling, Stefan Glaesener, Cornelia Denz; Inst. of Applied Physics, Germany.* We present an all-optical method for the creation of large-scale particle arrays on the surface of electro-optic crystals. Manipulation of matter is achieved by dielectrophoretic forces exhibited by the strong internal fields of these materials.

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BTuB • Visual Optics–Continued

BTuB3 • 11.30 **Invited**
Title to be Announced, Qiushi Ren;
Peking Univ., China. Abstract not available.

BTuB4 • 12.00 **Invited**
Bio-Inspired Structural Color Waveplates and Polarizers and their Applications, *Stanley Pau, Graham Myhre, Arshad Sayyad; College of Optical Sciences, Univ. of Arizona, USA.* By studying the polarization property of jeweled beetles, we develop novel optical coatings that can be patterned at high spatial resolution and have precise optical retardance and polarization dependent absorption.

NTuB • Phase I–Continued

NTuB4 • 11.30
Spectral-domain Differential Interference Contrast Microscopy, *Yizheng Zhu, Natan T. Shaked, Lisa Satterwhite, Adam Wax; Dept. of Biomedical Engineering, Duke Univ., USA.* We present a novel imaging technique, termed spectral-domain DIC microscopy, for high-resolution quantitative measurement of optical pathlength gradients. Imaging of resolution target and live cardiomyocytes were demonstrated with 36pm resolution.

NTuB5 • 11.45
GPU-based Real-time Phase Microscopy, *Johannes Frank, Sebastian Wette, Jan Beneke, Stefan Altmeyer; Inst. of Applied Optics and Electronics, Cologne Univ. of Applied Sciences, Germany.* A quantitative multi-camera phase microscope, based on a Green's function solution of the transport-of-intensity equation (TIE), is presented. Solving the TIE on a graphic processing unit offers the possibility of phase measurements in real-time.

NTuB6 • 12.00
4-Dimensional Microscope System for Dynamic Phase Imaging, *Katherine Creath; 4-D Technology Corp. and Univ. of Arizona, USA.* New, novel interference microscope system utilizing a pixelated phase sensor capturing dynamic phase images *in vitro*, enabling volumetric, motion and morphological studies, including examples of monitoring different biological processes and motions.

OTuB • Clinical/Pre-clinical Applications II–Continued

OTuB3 • 11.30
Fluorescence Diffuse Optical Tomography with Multiple View Structured Illumination, *Nicolas Ducros¹, Andrea Bassi¹, Gianluca Valentini¹, Martin Schweiger², Simon Arridge², Cosimo D'Andrea¹;* ¹*Physics, IFN-CNR, IIT, Dipt. di Fisica, Italy;* ²*Dept. of Computer Science, Univ. College London, Italy.* Fluorescence Diffuse Optical Tomography with structured light is demonstrated using multiple views. Reconstructions from simulated and experimental data sets is carried out. Multiple view approach improves the spatial resolution of reconstruction.

OTuB4 • 11.45
Spectroscopic Optical Coherence Tomography for Quantitative Molecular Imaging, *Francisco Robles, Adam Wax; Biomedical Engineering, Duke Univ., USA.* Advances in spectroscopic OCT have allowed for quantitative analysis of endogenous contrast agents. Here, we will use SOCT to achieve quantitative molecular imaging using various exogenous contrast agents spanning the visible region of the spectrum.

OTuB5 • 12.00
Multimodal Optical Detection of Intravaginal Microbicide Gel Coating Thickness Distribution, *Tyler K. Drake, Jennifer Peters, Marcus Henderson, Michael DeSoto, David Katz, Adam Wax; Biomedical Engineering, Duke Univ., USA.* A clinical optical probe incorporating simultaneous fluorescence and low coherence interferometry imaging was developed. A clinical study was performed to compare fluorimetry and LCI in measuring intravaginal microbicide gel thickness distribution.

OTTuB • Trapping Techniques and Applications II–Continued

OTTuB4 • 11.30 **Invited**
Sonotweezers: Complementing the Size and Force Spectra of Optical Trapping, *Michael P. MacDonald¹;* ¹*Electronic Engineering and Physics, Univ. of Dundee, UK.* Optical trapping is suited to applications with small forces, high spatial control and for nanometre- to micron-sized particles. We present Sonotweezers, manipulating particles up to millimetres in scale with forces in excess of nanometres.

OTTuB5 • 12.00
Combined Optical and Acoustic Trapping, *Gregor Thalhammer; Division for Biomedical Physics, Innsbruck Medical Univ., Austria.* We present the combination of optical and acoustic trapping in a microfluidic device. This setup combines the advantages of a large trapping volume of acoustic trapping with the high precision and flexibility of optical micro-manipulation.

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

NTuB • Phase I–Continued

NTuB7 • 12.15
X-ray Photon Sieves for Phase-contrast Microscopy, Guanxiao Cheng^{1,2}, Chao Hu^{1,2}, Max Q.-H. Meng^{2,1}; ¹Shenzhen Inst. of Advanced Technology, Chinese Academy of Sciences, China; ²Chinese Univ. of Hong Kong, China. A diffractive compound objective integrated the Zernike phase shift in an apodized photon sieve (ZAPS) is presented for high-resolution X-ray phase-contrast microscopy. The focusing properties of the ZAPS can be easily adjusted by pupil apodization.

OTuB • Clinical/Pre-clinical Applications II–Continued

OTuB6 • 12.15
Rapid Confocal Imaging of Large Area Excised Tissue with Strip Mosaicing, Sanjee Abeytunge¹, Yongbiao Li¹, Bjorg A. Larson², Ricardo Toledo-Crow¹, Milind Rajadhyaksha²; ¹Res. Engineering Lab., Memorial Sloan Kettering Cancer Ctr., USA; ²Dermatology Services, Memorial Sloan Kettering Cancer Ctr., USA. Strip mosaicing in a confocal microscope allows imaging of cellular morphology over large-area tissue for rapid pathology at the bedside. We scan 10 mm long strips and stitch to display 100 mm² in five minutes.

OTTuB • Trapping Techniques and Applications II–Continued

OTTuB6 • 12.15
Message In a Bottle the Statistical Behavior of Nanoparticles in Optical Confinement, Liangcheng Zhou¹, Daniel Ou-Yang¹, Joseph Junio¹, Jack Ng², Joel Cohen³, Zhifang Lin⁴; ¹Physics, Lehigh Univ., USA; ²Physics, Hong Kong Univ. of Science and Technology, Hong Kong; ³Physiology, Univ. of the Pacific, USA; ⁴Physics, Fudan Univ., China. A focused laser produced optical bottle transiently traps nanoparticles while 3-D fluorescence imaging maps the nanoparticle distribution.

12.30 –13.30 Lunch Break (on your own)

NOTES

- JTuA1**
Customized Eye Modeling Using Clinical Pentacam and Wavescan Data, Ying-Ling A. Chen¹, Lei Shi², Jim Lewis³, Ming Wang², Ryan Vida²; ¹Ctr. for Laser Applications, Univ. of Tennessee, USA; ²Wang Vision Inst., USA; ³E-Vision Technologies Inc., USA. We incorporated anterior chamber components, axial length, and wavefront measurements to construct pilot customized eye models for extensive applications. 21 normal and diseased eyes were successfully constructed with RMS 0.01 wave accuracy.
- JTuA2**
Determination of Resorption in Bone Using Phase Shifting Interferometry, George Chen¹, Joachim Loo²; ¹BC Photonics Technological Co, Canada; ²School of Materials Science and Engineering, Nanyang Technological Univ., Singapore. Phase Shifting Interferometer using the Carre and Hariharan algorithms is proposed for quantifying resorption in bone sample. Advantages of the system include being non-contact, 3-D profile, less time consuming, and relatively inexpensive.
- JTuA3**
Biophotonic Studies of Intracellular Responses to Nanosecond, Megavolt-per-meter, Pulsed Electric Field, Yu-Hsuan Wu¹, Stefania Romeo², Martin A. Gundersen³, P. Thomas Vernier^{3,4}; ¹Chemical Engineering and Materials Science, Univ. of Southern California at Los Angeles, USA; ²Information Engineering, Second Univ. of Naples, Italy; ³Electrical Engineering, Univ. of Southern California at Los Angeles, USA; ⁴MOSIS/Information Sciences Inst., Univ. of Southern California at Marina Del Rey, USA. The effects of nanoelectropulses on intracellular structures are reported in this work. The real-time investigation is performed by means of a system consisting of a fluorescence microscope, an EMCCD camera and a photomultiplier tube.
- JTuA4**
Enhanced Bio-Sensing by Mechanically Stretching Active Plasmonic PDMS Device, Yanhui Zhao¹, Ahmad A. Nawaz¹, Tony J. Huang¹; ¹Engineering Science and Mechanics, Penn State Univ., USA. We demonstrated a bio-sensing tool involving deposition of gold coated PS nanospheres over a PDMS substrate. Sensing spectrum can be tuned by stretching PDMS substrate, providing large sensing range within a single structure.
- JTuA5**
Quantifying Kinetics and Dynamics of DNA Repair Proteins Using Raster-Scan Image Correlation Spectroscopy and Fluorescence Recovery after Photobleaching, Salim Abdisalaam¹; ¹Bioengineering, Univ. of Texas at Arlington, USA. DNA double-strand breaks (DSBs) are one of the most lethal DNA damage occurs in mammalian cells. In this work, RICS and FRAP techniques are used to study kinetics of double strand break repair proteins before and after γ -irradiation *in vivo*.
- JTuA6**
Time-Gated Raman Spectra of Living Samples, Zachary Smith¹, Florian Knorr¹, Sebastian Wachsmann-Hogiu¹; ¹Ctr. for Biophotonics, Univ. of California at Davis, USA. We have developed an 800 fs all-optical gate capable of providing approximately 1.
- JTuA7**
Statistical Analysis of Biotissues Mueller Matrix Images in Cancer Diagnostics, Roman M. Tsykaliak¹; ¹Correlation Optics, Chernivtsi Natl. Univ., Ukraine. Application of lasers in biomedical optics caused the development of other research areas - biospeckles. This research was aimed at the potentialities of laser polarimetry in diagnostics of optically thick, multilayer tissues of human prostate.
- JTuA8**
Long Gradient Index Lens Multiphoton Endoscopic Systems, David Huland¹, Scott Howard², Watt W. Webb², Chris Xu²; ¹Biomedical Engineering, Cornell Univ., USA; ²Applied and Engineering Physics, Cornell Univ., USA. We characterize long (up to 285 mm) GRIN lens endoscope systems for multiphoton imaging use. Axial and lateral point spread functions are presented.
- JTuA9**
Label-Free Detection of Calcifications in the Breast, Zhuo Wang¹, Krishnarao Tangella^{2,3}, Gabriel Popescu¹; ¹Electrical and Computer Engineering, Univ. of Illinois at Urbana-Champaign, USA; ²Pathology, Univ. of Illinois at Urbana-Champaign, USA; ³Christie Clinic, USA. We demonstrated that phase shifts and refractive index changes measured *via* quantitative phase imaging can be an indicator for calcifications in breast tissue biopsies.
- JTuA10**
Live 3-D Imaging of HIV-1 Transfer through the Virological Synapse, Deanna L. Thompson¹, Gregory McNERNEY¹, Benjamin M. Dale², Benjamin K. Chen², Thomas Huser¹; ¹NSF Center for Biophotonics Science and Technology, Univ. of California at Davis, USA; ²Mount Sinai School of Medicine, USA. Live, 3-D, multicolor imaging of cell-to-cell HIV-1 transmission using spinning disk confocal microscopy and a replication-competent fluorescent clone of the virus reveals clues to HIV's evasion of the human immune system.
- JTuA11**
Fast, Approximate Gaussian Mask Algorithm, Alexander R. Small¹, Nahom Yirga¹; ¹Physics, California State Polytechnic Univ., USA. Gaussian Mask is an algorithm for localizing fluorophores in microscopy. Using simulated images, substantial speed improvements are shown to be possible if good initial position estimates are available and the fitting function is Taylor-expanded.
- JTuA12**
Tunable, Low Repetition Rate, Femtosecond Pulse Ti:Sapphire Laser for *in vivo* Imaging by Nonlinear Microscopy, Robert Szipocs^{1,2}, Peter Gyula Antal¹, Attila Szigligeti¹, Attila Kolonics^{1,2}; ¹Laser Applications, Res. Inst. for Solid State Physics and Optics of the Hungarian Academy of Sciences, Hungary; ²R&D Ultrafast Lasers Ltd., Hungary. We report on a broadly tunable, long-cavity, low-pump-threshold, pulsed Ti:Sapphire laser. The laser delivers nearly transform limited ~300 fs, ~10 nJ pulses at 22 MHz repetition rate being ideal for nonlinear microscopy.

JTuA13

Early Glutamate-mediated Cell Death Detection with Digital Holographic Microscopy, Nicolas Pavillon¹, Jonas Kühn^{1,2}, Pascal Jourdain³, Christian D. Depeursinge¹, Pierre J. Magistretti^{2,3}, Pierre Marquet^{2,3}; ¹Microvision and Microdiagnostics Group, STI, Ecole Polytechnique Fédérale de Lausanne, Switzerland; ²Dépt. de Psychiatrie, CHUV, Prilly, Switzerland; ³Brain Mind Inst., Ecole Polytechnique Fédérale de Lausanne, Switzerland. We demonstrate the capability of digital holography to dynamically detect non-invasively cell death through the measurement of cellular volume regulation, considered as an early indicator of cellular deregulation, leading to cell death triggering.

JTuA14

In vivo Real Time FF-OCT of the Rat Brain, Jonas Binding^{3,2}, Juliette Benarous¹, Sylvain Gigan², Claude Boccard², Jean-François Léger¹, Laurent Bourdieu¹; ¹IBENS, ENS, Paris, France; ²Inst. Langevin, ESPCI ParisTech, Paris, France; ³Max Planck Inst. for Medical Res., Heidelberg, Germany. We demonstrate the ability of full-field OCT to image the cortex of living rats. The main feature that appears is individual myelin fibers. A precise measurement of the brain refractive index has also been obtained.

JTuA15

Extended Field of View Confocal Microscopy, Kristen C. Maitland¹, Meagan Saldana¹, Cory Olsovsky¹; ¹Biomedical Engineering, Texas A&M Univ., USA. We exploit a fast motorized translation stage to replace the frame scan mirror in a raster scanning confocal microscope to extend field of view in one axis. 5cm x 1mm image is captured in <10 seconds.

JTuA16

Tip Enhanced Raman Spectroscopy (TERS) Instrumentation for Probing Linearized DNA for Cancer-Specific Lesions: Challenges and Outcomes, Noah Kolodziejski¹, Rajan Gurjar¹, David Wolf¹; ¹Radiation Monitoring Devices, USA. We have adapted Tip-Enhanced Raman Spectroscopy (TERS) technology to a DNA sequencing modality simultaneously sensitive to a broad spectrum of cancer-relevant lesions. Obstacles encountered while approaching single-base resolution will be discussed.

JTuA17

Two-photon Absorbing Probes and Their Use in Two-Photon Fluorescence Microscopy of Cells and ex vivo Imaging of Tumors, Ciceron Yanez¹, Carolina D. Andrade¹, Alma R. Morales¹, Takeo Urakami³, Masanobu Komatsu³, Kevin D. Belfield^{1,2}; ¹Chemistry, Univ. of Central Florida, USA; ²CREOL, Univ. of Central Florida, USA; ³Sanford-Burham Medical Research Inst., USA. Efficient two-photon (2PA) absorbing dyes and bioconjugates were used in two-photon fluorescence microscopy (2PFM) of cells, tissue sections, and excised tumors. Results show the utility of these dyes in studying biological processes.

JTuA18

Non-Invasive Staining of the Whole Astrocytic Network in the Rodent Brain through Systemic Administration of Sulforhodamine Dyes : Intravital and in vitro Applications, Florence Appaix², Johannes Roemer², Boudewijn van der Sanden², Sabine Girod², Sylvie Boisseau², Mireille Albrieux², Hartmut Wege¹, Isabelle Guillemain², Antoine Depaulis², Jean-Claude A. Vial^{1,2}; ¹Lab. de Spectrométrie Physique, CNRS, Saint Martin d'Heres, France; ²Inst. des Neurosciences de Grenoble, INSERM, France. As compared to local injections of sulforhodamine-B and sulforhodamine-101, i.v. administration of these dyes was shown to be more efficient and less invasive for astrocyte staining in the whole rodent brain.

JTuA19

High-Speed Imaging of Microbubble Formation in a Novel Flow Focusing Microfluidics Chip, Paul Campbell; *Physics, Univ. of Dundee, UK.* This work aimed to produce monodisperse microbubbles for use as theranostic agents in medical ultrasound. We describe our design for a glass microfluidic chip with a distinctive flow focussing junction that ensure monodispersity.

JTuA20

Turbidity Measurements on Suspended Lipid Microbubble Populations Subjected to Ultrasound, Paul Campbell; *Physics, Univ. of Dundee, Dundee, UK.* The turbidity of solutions containing 2 ultrasound contrast agents (SonoVue®, Bracco Diagnostics, Inc. and Sonazoid™, GE HealthCare) was measured as a function of ultrasound exposure, and correlations developed with their bioeffects *in vitro*.

JTuA21

Novel Two-Photon Fluorescence Probes for Zinc Ion Sensing, Andrew Frazer¹, Xuhua Wang¹, Dao M. Nguyen¹, Alma R. Morales¹, Kevin D. Belfield¹; ¹Chemistry, Univ. of Central Florida, USA. We report the synthesis, photophysical characteristics of two photon fluorescent (2PF) probes which shows superior specificity for zinc coupled with two photon microscopy imaging utilized to evaluate detection of Zn²⁺ *in vivo*.

JTuA22

Forward Problem Solution in Photoacoustic Tomography by Discontinuous Galerkin Method, Srijeeta Bagchi¹, Debasish Roy², Ram Mohan Vasu¹; ¹Dept. of Instrumentation and Applied Physics, Indian Inst. of Science, India; ²Dept. of Civil Engineering, Indian Inst. of Science, India. This paper attempts to model the forward problem in photoacoustic tomography (PAT) using discontinuous Galerkin (DG) method. Numerical experiments show that DG solutions are comparable with those obtained by finite element method (FEM).

JTuA23

Please see OTTuC3

JTuA24

Evanescence Wave Optical Trapping Using Tapered Optical Fibers, Marios Sergides¹, Susan E. Skelton¹, Radhika Patel¹, Agata Pawlikowska^{1,2}, Phil Jones¹; ¹Physics and Astronomy, Univ. College London, UK; ²Natl. Physical Lab., UK. We investigate experimentally and theoretically the trapping of micro- and nanoparticles in the evanescent field surrounding a tapered optical fiber and show how combinations of modes may be used to control trapped particle dynamics.

JTuA25

Plasmon-Enhanced Optical Trapping of Metal Nanoparticles, Onofrio Marago¹, Phil Jones², Rosalba Saija³, Ferdinando Borghese³, Paolo Denti³, Maria A. Iati³, Pietro Gucciardi¹; ¹CNR-Inst. per i Processi Chimico-Fisici, Italy; ²Physics and Astronomy, Univ. College London, UK; ³Dip. di Fisica della Materia e Ing. Elettronica, Univ. di Messina, Italy. We investigate plasmon-enhanced trapping of metal nanoparticles. We calculate the optical forces on gold, silver and aluminium nanospheres through a procedure based on the Maxwell stress tensor in the transition T-matrix formalism.

JTuA26

Radially Polarized Optical Tweezers, Susan E. Skelton¹, Marios Sergides¹, Radhika Patel¹, Agata Pawlikowska^{1,2}, Onofrio Marago³, Phil Jones¹; ¹Dept. of Physics and Astronomy, Univ. College London, UK; ²Natl. Physical Lab, Teddington, Middlesex, UK; ³CNR-Inst. per i Processi Chimico-Fisici, Italy. We present experimental measurements of the spring constants of a radially polarized optical tweezer for a wide range of micro- and nano-particles and compare the results to those obtained using linearly- and circularly-polarized trapping beams.

JTuA27

Ultrafast Imaging of Microbubble Cavitation Using Integrated Optical Trapping for Spatial Control: Progress and Prospects, Paul Campbell; Physics, Univ. of Dundee, UK. Cavitation science has experienced heightened interest within medical contexts due to the emerging theranostic capabilities of ultrasound driven microbubbles. We review the state of the art for optically controlled observations at MHz framing rates.

JTuA28

NanoTracker Force-Sensing Optical Tweezers for Quantitative Single-Molecule Nanomanipulation, Joost van Mameren¹, Helge Egger¹, Gerd Behme¹, Claudia Böttcher¹; ¹JPK Instruments AG, Berlin, Germany. JPK has developed an optical tweezers platform the NanoTracker This allows controlled trapping and accurate tracking of nanoparticles suspended either in a microfluidic multichannel flow chamber or even in temperature-controlled open Petri dish.

JTuA29

Dark Spot Trapping Using a Double-Ring-Shaped Radially Polarized Beam, Yuichi Kozawa¹, Shunichi Sato¹; ¹Inst. of Multidisciplinary Res. for Advanced Materials, Tohoku Univ., Japan. We experimentally demonstrated an optical trapping of opaque particles, which were captured in a dark spot created by tightly focusing of a double-ring-shaped, radially polarized beam (TM₀₂ mode beam).

JTuA30

Generation of Trapping Sites in the Evanescent Field of a Fiber Taper Coupler, Mary Frawley^{1,2}, Galvin Khara¹, Sile Nic Chormaic^{1,2}; ¹Physics Dept., Univ. College Cork, Ireland; ²Photonics Centre, Tyndall Nat'l. Inst., Ireland. We propose to create optical trapping minima in the evanescent field of a fiber taper coupler by selectively exciting combinations of the HE₁₁, TE₀₁ and HE₂₁ higher order modes in the waist region.

JTuA31

Please see OTTuC2

JTuA32

Optical Binding in the Asymmetrical Configurations, Vitezslav Karasek¹, Oto Brzobohaty¹, Pavel Zemanek¹; ¹Inst. of Scientific Instruments of the ASCR, Czech Republic. We study both experimentally and theoretically optical interactions called as optical binding between micro- and nanoscopic particles. We observed new and unexpected manifestations for particles asymmetrically placed in incident optical fields.

JTuA33

An Approach to Selective Optical Isolation and Cloning of Cyanobacteria of Atacama Desert, Gabriel Arandeda^{1,2}, Nataly Cisternas San Martín^{1,2}, Juan Pablo Staforelli^{1,2}; ¹Dept. de Física, Univ. de Concepción, Chile; ²Ct. for Optics and Photonics, Chile. We propose a low-cost, highly precise and robust protocol for individual isolation of Cyanobacteria selected from a mixtures of species, combining optical tweezers techniques and flow control by gravity force.

JTuA34

Vortical Optical Traps Based on Spiral Beams, Kirill Afanasiev, Alexander Korobtsov, Svetlana Kotova, Nikolay Losevsky, Vsevolod Patlan, Eugenia Razueva¹, Vladimir Volostrnikov, Evgeny Vorontsov¹; LPI Samara Branch, Russian Federation. The possibility is shown to form vortical light fields with the desired intensity distribution by means of phase-only DOEs based on spiral beams optics. Experiments on fields generation with SLM and laser manipulation are presented.

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BTuC • Biomedical Optical Imaging

Tuesday, 5 April
16.00-18.00
Presider to Be Announced

BTuC1 • 16.00 Invited

Title to Be Announced, *Ruikang Wang; Univ. of Washington, USA*. Abstract not available.

BTuC2 • 16.30

Real-Time 4-D Full-Range Complex Fourier-Domain OCT with Non-Uniform Fast Fourier Transform Based on Dual Graphics Processing Units Architecture, *Kang Zhang, Jin U. Kang; Electrical and Computer Engineering, Johns Hopkins Univ., USA*. We implemented real-time 4-D full-range complex FD-OCT with non-uniform fast Fourier transform processed in dual graphics processing units architecture. With a 128,000 A-scan/second line scan spectrometer, we obtained 5.0 volume/second C-scan speed.

NTuC • Phase II

Tuesday, 5 April
16.00-18.00
Presider to Be Announced

NTuC1 • 16.00 Invited

High-Speed Nonlinear Harmonic Generation Holographic Microscopy, *Randy Bartels^{1,2}, Philip Schlup¹, Jesse Wilson¹; ¹Electrical and Computer Engineering, Colorado State Univ., USA; ²School of Biomedical Engineering, Colorado State Univ., USA*. We present three-dimensional images of biological samples using nonlinear optical, holographic microscopy. The oscillator operates at a wavelength with low scattering in the sample and its low average power prevents damage to the samples.

NTuC2 • 16.30

Holographic Second Harmonic Generation Microscopy, *Etienne Shaffer¹, Pierre Marquet^{1,2}, Christian D. Depeursinge¹; ¹École Polytechnique Fédérale de Lausanne (EPFL), Switzerland; ²Dépt. de Psychiatrie-CHUV, Site de Cery, Switzerland*. Holographic second harmonic generation (SHG) microscopy is a non-scanning imaging technique that retrieves both the amplitude and the phase of SHG. Here, we present an overview of the technique and its applications.

OTuC • Novel Probes III

Tuesday, 5 April
16.00-17.15
Dietrich Schweitzer; Univ. of Jena, Germany, Presider

OTuC1 • 16.00 Invited

Fluorescence Lifetime in Optical Molecular Imaging, *Walter J. Akers¹, Mikhail Berezin¹, Hyeran Lee¹, Samuel Achilefu^{1,2}; ¹Dept. of Radiology, Washington Univ. School of Medicine, USA; ²Dept. of Biochemistry and Biophysics, Washington Univ. School of Medicine, USA*. Recent applications of fluorescence lifetime in optical molecular imaging are presented. These in vivo applications include fluorescent signal separation, monitoring of controlled release and improved detection of quenched probe activation.

OTuC2 • 16.30

A New Optical Nano-Construct Composed of a Genome-Depleted Plant Virus Doped with a Near Infrared Organic Chromophore, *Bongsu Jung¹, Ayala L. Rao², Bahman Anvari¹; ¹Bioengineering, Univ. of California at Riverside, USA; ²Plant Pathology and Microbiology, Univ. of California at Riverside, USA*. We have engineered an optical construct composed of the bromo mosaic virus doped with indocyanine green, an FDA-approved chromophore. These constructs may offer a non-toxic platform for site-specific and deep tissue optical imaging, and phototherapy.

OTTuC • Trapping Techniques and Applications III

Tuesday, 5 April
16.00-18.00

OTTuC1 • 16.00 Invited

Optoelectronic Tweezers as a Tool for Medical Diagnostics, *Steve L. Neale¹, Clemens Kremer¹, Michael Barrett², Jonathan Cooper¹; ¹Biomedical Engineering Res. Division, Univ. of Glasgow, UK; ²Wellcome Trust Centre for Molecular Parasitology, Univ. of Glasgow, UK*. Optoelectronic Tweezers (OET) allows the patterning of electric fields by the selected illumination of a photoconductive device. This has many applications for medical diagnostics, here we show work towards diagnosing Human African Trypanosomiasis.

OTTuC2 • 16.30

Resolving Interparticle Position and Optical Forces along the Axial Direction Using Optical Coherence Gating, *Woei Ming Lee¹, Tzu Hao Chow^{2,3}, Beng Koon Ng²; ¹Wellman Photomedicine, Harvard Medical School and Massachusetts General Hospital, USA; ²School of Electrical and Electronic Engineering, Nanyang Technological Univ., Singapore; ³Singapore-MIT Alliance, Natl. Univ. of Singapore, Center for Singapore-MIT Alliance, Singapore*. We demonstrate the use of coherence gating to resolve particle positions and forces in the axial direction. High depth resolvability (micrometers) and weak optical force (femtonewton) measurements in an optical trapping system is achieved.

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BTuC • Biomedical Optical Imaging—Continued

BTuC3 • 16.45

Automated 3-D Detection of Giardia Lambliia Cysts as an Assessment of Potential Drinking-Water Resources using DHM with Partially Coherent Source, Ahmed El Mallahi¹, Christophe Minetti², Frank Dubois¹, Catherine Yourassowsky¹, Aurélie Detavernier², Jingxing Ma², Michel Verbanck²; ¹Microgravity Research Center, Univ. libre de Bruxelles, Belgium; ²Dept. Water Pollution Control, Univ. libre de Bruxelles, Belgium. Digital holographic microscopy under partially coherent source allows to identify intracellular morphologic features of parasitic protozoan (oo)cysts. A new rationale for the unambiguous detection of Giardia lamblia contamination risks is proposed.

BTuC4 • 17.00 **Invited**

Cataract Surgery with OCT-guided Femtosecond Laser, Daniel Palanker¹, Georg Schuele², Neil Friedman¹, Dan Andersen², William Culbertson³; ¹Ophthalmology, Stanford Univ., USA; ²OptiMedica Corp., USA; ³Bascom Palmer Eye Inst., USA. About a third of people in the developed world will undergo cataract surgery in their lifetime. Currently, cataract surgery is a manual procedure highly dependent on the surgical skills and complicating factors. We developed and tested an image-guided laser system to improve the precision and reproducibility of cataract surgery.

NTuC • Phase II—Continued

NTuC3 • 16.45

Surface Contrast Microscopy, Yousef Nazirizadeh¹, Uli Lemmer², Martina Gerken¹; ¹Integrated Systems and Photonics, Inst. of Electrical and Information Engineering, Germany; ²Light Technology Inst. and Center for Functional Nanostructures (CFN), Germany. We report a purely optical method for contrast enhancement of specimen on surfaces. This method utilizes a photonic crystal slab between two crossed polarization filters as the microscope slide.

NTuC4 • 17.00

Contrast Enhancing Microscopy by Multi-pass Phase Conjugation, Nicolas C. Pégard, Jason W. Fleischer; Electrical Engineering, Princeton Univ., USA. We have developed a bright field microscopy technique by phase conjugation and multiple transmission of a coherent light source. For microscopic biomaterial, we demonstrate all-optical contrast enhancement and aberration reduction.

NTuC5 • 17.15

Nonlinear Restoration of Diffused Images, Laura Waller², Dmitry V. Dylow¹, Jason W. Fleischer²; ¹GE Global Res. Ctr., Niskayuna, USA; ²Electrical Engineering, Princeton Univ., USA. We develop a method to recover diffused and noise-hidden images by using spatial nonlinearity to seed instability. Optimal recovery depends on signal content, scattering statistics, and nonlinear coupling strength.

OTuC • Novel Probes III—Continued

OTuC3 • 16.45

Ex vivo Tumor Imaging with a VEGFR-2 Selective Two-Photon Absorbing (2PA) Bioconjugate, Carolina D. Andrade¹, Ciceron Yanez¹, Hyo-Yang Ahn¹, Kevin D. Belfield¹, Takeo Urakami², Masanobu Komatsu²; ¹Chemistry, Univ. of Central Florida, USA; ²Sanford-Burnham Medical Res. Inst. at Lake Nona, USA. Ex vivo imaging of tumors has been successfully achieved by using a two-photon absorbing (2PA) fluorescent bioconjugate that selectively binds the vascular endothelial growth factor receptor 2 (VEGFR-2).

OTuC4 • 17.00

How to Enhance the Two-Photon Brightness of Fluorescent Proteins? Mikhail Drobizhev¹, Nikolay Makarov¹, Shane Tillo¹, Thomas Hughes¹, Aleksander Rebane²; ¹Montana State Univ., Bozeman, USA. Fluorescent proteins (FPs) are widely used in 2-photon absorption (2PA) microscopy as genetically-targeted probes. We provide the guidelines for increasing their peak 2PA cross section by tuning (via mutations) local electric field inside protein.

OTTuC • Trapping Techniques and Applications III—Continued

OTTuC3 • 16.45

Optical Forces near Surface: Full 3-D Finite Element Method Based Calculations, Martin Siler¹, Vitezslav Karasek², Pavel Zemanek²; ¹Inst. of Scientific Instruments of the ASCR, v.v.i., Czech Republic. Optical forces acting upon a microparticle placed near the surface are evaluated using full 3-D solution of Maxwell equations based on the Finite Element Method. The stress is put on the evanescent field illumination.

OTTuC3 • 17.00 **Invited**

A Next Generation BioPhotonics Workstation, Jesper Glückstad; Dept. Photonics Engineering, Techn. Univ Denmark, DTU Fotonik, Denmark. We are developing a Next Generation BioPhotonics Workstation to be applied in research on regulated microbial cell growth including their underlying physiological mechanisms, in vivo characterization of cell constituents and manufacturing of nanostructures and meta-materials.

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BTuC • Biomedical Optical Imaging—Continued

NTuC • Phase II—Continued

OTuC • Novel Probes III—Continued

OTTuC • Trapping Techniques and Applications III—Continued

BTuC5 • 17.30 **Invited**

Intrinsic Optical Signal Imaging of Stimulus-Evoked Neural Activities in the Retina, Xincheng Yao, Yangguo Li, Yichao Li, Qiuxiang Zhang; *Univ. of Alabama at Birmingham, USA*. Intrinsic optical signal (IOS) imaging and electrophysiological recording were used to detect retinal neural activities. IOS imaging allowed dynamic monitoring of visual signal propagation from the photoreceptor to inner retinal neurons.

NTuC6 • 17.30

Quantitative Phase from Defocus, Shan Kou^{1,2}, Colin J. R. Sheppard², Nicolas Pavillon³, Pierre Marquet³, Christian D. Depeursinge³; ¹STI, Ecole Polytechnique Fédérale de Lausanne (EPFL), Switzerland; ²Bioengineering, Natl. Univ. of Singapore (NUS), Singapore; ³Dépt. de Psychiatrie DP-CHUV, Univ. de Lausanne Switzerland. We present a non-iterative technique that unlike solving the transport of intensity equation (TIE) obtains the quantitative phase of a weak object using only the inversion of an optical transfer function in defocused situation.

NTuC7 • 17.45

Complex Field imaging for Diffraction Tomography, Isabelle Bergoend¹, Cristian Arfire¹, Yann Cotte¹, Christian D. Depeursinge¹; ¹Microvision and Microdiagnostics Group, EPFL, Switzerland. We present a technique to recover 3-D refractive index distribution of cells using Digital Holographic Microscopy. Diffraction tomography is performed by two-axes rotation of the sample and aberrations corrected imaging with high numerical aperture.

OTTuC4 • 17.30

Dynamic Biomolecule Sensing Bead Array Held by Optical Tweezers, Mael Manesse¹, Christopher N. Lafratta^{1,2}, Manuel A. Palacios¹, Aaron F. Phillips¹, David R. Walt¹; ¹Chemistry Dept., Tufts Univ., USA; ²Chemistry Dept., Bard College, USA. We have developed a platform using optical tweezers to create dynamic arrays of functionalized microbeads in microfluidic channels. The array is then exposed to analyte signaling molecules and washes, and interrogated using fluorescence microscopy.

OTTuC5 • 17.45

Optically Tweezing the Colloidal Alphabet, Thomas Mason; *Physics and Astronomy, UCLA, USA*. Many intricate dielectric shapes having holes and arms, as sampled using lithographic letters that have a thickness and width comparable to the wavelength, can be optically trapped in more than one stable position and orientation.

NOTES

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

Wednesday, 6 April, 2011

7.30–15.45 Registration Open, Regency Foyer South

BWA • Design for Biomedical Optical Imaging

Wednesday, 6 April
8.00–10.00
Presider to Be Announced

BWA1 • 8.00 Invited

Toward Low Cost Imaging: A Laser Scanning Digital Camera, Ann E. Elsner¹, Matthew S. Muller^{1,2}, Benno L. Petrig^{1,2}, Joel A. Papay¹, Christopher A. Clark¹, Joao Alavanja¹, Bryan P. Haggerty¹; ¹Indiana Univ., USA; ²Aeon Imaging, USA. The laser scanning digital camera is a hybrid confocal imager, designed with simplified optics and electronics to reduce the costs of diagnostic imaging, presentation of visual stimuli, and measurement of refractive error.

BWA2 • 8.30 Invited

Better Medicine Through Proper Lighting, Amber Czajkowski¹; ¹Coating, Edmund Optics, USA. Adverse lighting conditions can seriously hinder medical diagnoses. Through the use of properly filtered light, medical professionals may dramatically improve viewing conditions for timely and more accurate diagnoses.

BWA3 • 9.00

Microscopy and Spectroscopy on a Cell Phone, Kaiqin Chu¹, Zachary J. Smith¹, Denis Dwyre², Dennis Matthews¹, Stephen Lane¹, Sebastian Wachsmann-Hogiu^{1,2}; ¹Center for Biophotonics, Univ. of California at Davis, USA; ²Dept. of Pathology, Univ. of California at Davis, USA. We have developed two attachments that transform a cell phone's integrated camera into either a microscope with 1.5 micron resolution or a spectrometer with a 5nm spectral resolution. We show applications to medically relevant problems.

NWA • Endoscopy

Wednesday, 6 April
8.00–10.00
Presider to Be Announced

NWA1 • 8.00 Invited

Scanning Fiber-Optic Nonlinear Endomicroscopy, Kartikeya Murari¹, Jiefeng Xi¹, Ming-Jun Li¹, Xingde Li¹, Yuying Zhang¹; ¹Biomedical Engineering, Johns Hopkins Univ., USA; ²Science and Technology Division, Corning Inc., USA. We present a fully integrated fiber-optic scanning endomicroscope of a probe head weight less than 1.2g. Significant improvements on nonlinear signal collection efficiency (by 30 fold) and resolution (by 2 fold) have been recently achieved.

NWA2 • 8.30

3 mm O.D. Raster Scanning Multiphoton Endoscope, David R. Rivera, Christopher M. Brown, Chris Xu, Watt W. Webb; Cornell Univ., USA. We present a 3mm outer diameter multiphoton endoscope that utilizes a hybrid resonant/non-resonant miniaturized piezo raster scanner. A field of view of 80um by 70um is achieved at a frame rate of 4.4 frames/s.

NWA3 • 8.45 Invited

Title to Be Announced, Zhongping Chen; Univ. of California Irvine, USA. Abstract not available.

NOTES

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BWA4 • 9.15

Miniaturized Microscope for Multi-spectral Laser Imaging, Janaka Senarathna¹; ¹*Biomedical Engineering, Johns Hopkins Univ., USA*. Imaging setups require stereotaxically affixed animals restricting observable behavior. We present a rodent head-mountable microscope for multi-spectral laser imaging. Architecture and preliminary results are described.

NWA4 • 9.15

A Microendoscope with Focal Modulation, Guangjun Gao, Nanguang Chen; *Division of Bioengineering, Natl. Univ. of Singapore, Singapore*. An endoscope-version focal modulation microscopy (FMM) for *in vivo* imaging is proposed. Electric optical modulator (EOM)-crystal modulator is used to modulate the beam and a deformable mirror is used for axial scanning.

BWA5 • 9.30

Invited

OCT Endomicroscopy and Functional Integration with Two-Photon Fluorescence Imaging, Jiefeng Xi¹, Kartikeya Murari², Yuying Zhang¹, Yongping Chen¹, Jiasong Li², Xingde Li²; ¹*Biomedical Engineering, Johns Hopkins Univ., USA*. We report on our recent developments of optical coherence tomography endoscopy technologies that enable aberration correction, high-speed uniform data acquisition in Fourier domain, and functional integration with multiphoton fluorescence imaging.

NWA5 • 9.30

Invited

Title to Be Announced, S.H. Andy Yun; *Massachusetts General Hospital, USA*. Abstract not available.

10.00–10.30 Coffee Break, Regency Main

NOTES

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BWB • Two-Photon Imaging

Wednesday, 6 April

10.30–12.30

Presider to Be Announced

BWB1 • 10.30 **Invited**

Technology Development for Multiphoton Imaging, *Chris Xu¹; ¹Applied and Engineering Physics, Cornell Univ., USA*. We present our research effort in improving the penetration depth of multiphoton microscopy and the development of a multiphoton endoscope for imaging intrinsic tissue fluorescence and harmonic generation *in vivo*.

BWB2 • 11.00 **Invited**

Title to Be Announced, *James V. Jester; Univ. of California Irvine, USA*. Abstract not available.

BWB3 • 11.30 **Invited**

Nonlinear Optical Probes of Ovarian Cancer, *Paul J. Campagnola¹, Molly Brewer², Ronald LaComb², Oleg Nadiarnykh², Xiyi Chen¹, Reui-Yu He²; ¹Dept. of Biomedical Engineering, Univ. of Wisconsin, USA; ²Univ. of Connecticut Health Ctr., USA*. Nonlinear optics are used to study human ovarian cancer. SHG imaging elucidates structural differences in normal and malignant tissues. Cell adhesion/migration dynamics are examined with ECM models fabricated by multiphoton excited photochemistry.

NWB • New Techniques

Wednesday, 6 April

10.30–12.30

Presider to Be Announced

NWB1 • 10.30 **Invited**

Invasive Micro-optics for *in vivo* Imaging in Mouse Brain, *Michael J. Levene; Biomedical Engineering, Yale Univ. USA*. Invasive micro-optics, including both gradient index lenses and micro-prisms, enable multiphoton microscopy of deep brain structures *in vivo* that would otherwise be impossible to observe. We present the latest developments in use of micro-optics.

NWB2 • 11.00 **Invited**

Lensfree Microscopy On a Chip, *Aydogan Ozcan; Electrical Engineering Dept., UCLA, USA*. We review the recent progress on lensfree on-chip microscopy techniques that are aimed at telemedicine as well as high-throughput biomedical imaging and screening applications.

NWB3 • 11.30

Optically Sectioned Fluorescence Imaging with HiLo, *Tim N. Ford¹, Daryl Lim¹, Kengyeh K. Chu¹, Eladio Rodriguez-Diaz², Satish K. Singh², Jerome Mertz¹; ¹Biomedical Engineering, Boston Univ., USA; ²Gastroenterology, Boston Univ. School of Medicine, USA*. HiLo is a wide-field fluorescence imaging technique that provides optical sectioning by processing two images acquired sequentially using illumination with and without high contrast structure. We present the latest implementations of the technique.

NWB4 • 11.45

4-D Image Mapping Spectrometer (IMS) with Structured Illumination, *Liang Gao^{1,3}, Noah Bedard¹, Robert Kester¹, Nathan Hagen¹, Tomasz Tkaczyk^{1,2}; ¹Bioengineering, Rice Univ., USA; ²Electrical and Computer Engineering, Rice Univ. USA; ³Rice Quantum Inst., Rice Univ., USA*. We present a 4-D (x, y, z, λ) Image Mapping Spectrometer with structured illumination. Depth resolved fluorescence spectral channel images of thick biological tissues were acquired with axial resolution of $\sim 1 \mu\text{m}$.

NOTES

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BWB4 • 12.00

Effects of Ultrashort Femtosecond Laser Pulses Upon Embryogenesis of Eukaryotic Organisms, *Sergey Arkhipov*¹; ¹*Chemistry, Michigan State Univ., USA*. Using scoring of survival of irradiated *Drosophila* embryos the moderate effects of fs-laser irradiation on embryogenesis and indirect evidence of possible induction of DNA repair mechanisms are demonstrated.

BWB5 • 12.15

Particle pushing via Liquid Gradient Refractive Index (L-GRIN) Lens, *Ahmad A. Nawaz*¹, *Xiaole Mao*¹, *Yanhui Zhao*¹, *Sz-Chin Steven Lin*¹, *Tony J. Huang*²; ¹*Pennsylvania State Univ., USA*. We report an onchip particle manipulator that utilizes a tunable Liquid gradient Refractive Index optofluidic microlens to optically control the pushing the particles. Utilizing the argon laser, particle velocity is controlled via laser input power.

NWB5 • 12.00

Practical Implementation of Log-Scale Active Illumination Microscopy, *Kengyeh K. Chu*¹, *Daryl Lim*¹, *Jerome Mertz*¹; ¹*Biomedical Engineering, Boston Univ., USA*. Active illumination microscopy is a method of redistributing dynamic range in scanning microscopes using feedback for real-time control of illumination power. Images are reconstructed on a logarithmic scale to preserve dynamic range benefits.

NWB6 • 12.15

Direct Aberrations Correction in Two Photon Microscopy by a Single On-Axis Measurement, *Rodrigo Aviles-Espinosa*¹, *Jordi Andilla*², *Rafael Porcar-Guezenc*², *Omar Olarte*¹, *Xavier Levecq*², *David Artigas*^{1,3}, *Pablo Loza-Alvarez*¹; ¹*Biophotonics, ICFO – Inst.de Ciències Fotòniques, Spain*; ²*Imagine Optic, France*; ³*Dept. of Signal Theory and Communications, Univ. Politècnica de Catalunya, Spain*. The use of the nonlinear guide-star concept is proposed. This principle is used to directly measure sample aberrations employing a wave front sensor and correcting them in a single step by shaping a deformable mirror.

12.30 –13.30 Lunch Break (on your own)

BWC • Spectroscopic Imaging

Wednesday, 6 April

13.30–15:45 p.m.

Presider to Be Announced

BWC1 • 13.30 **Invited**

Title to be Announced, *Jonas Korlach* *Pacific Biosciences, USA*. Abstract not available.

BWC2 • 14.00 **Invited**

Title to be Announced, *Jeeseong Huang*; *Biophysics Group, NIST, USA*. Abstract not available.

BWC3 • 14.30 **Invited**

Multiplexed Fluorescence Lifetime Image with Fourier Excitation-Emission Spectroscopy, *Ming Zhao*, *Leilei Peng*; *College of Optical Sciences, Univ. of Arizona, USA*. We report a Fourier lifetime microscopic method that measures fluorescence lifetime and intensity excitation-emission matrices in 23 microseconds. The technique will allow fast multiplexed imaging study of Förster resonance energy transfer.

Big Sur Room Bio-Optics: Design and Application (BODA)	Regency 1 & 2 Novel Techniques in Microscopy (NTM)	Regency 3 Optical Molecular Probes, Imaging and Drug Delivery (OMP)	Cypress Room Optical Trapping Applications (OTA)
--	--	---	--

BWC • Spectroscopic Imaging-Continued

BWC4 • 15.00

Real-Time Hyperspectral Imaging of Pancreatic β -cell Dynamics with Image Mapping Spectrometer (IMS), *Liang Gao¹, Amicia Elliott², Robert Kester¹, Nathan Hagen¹, David Piston², Tomasz Tkaczyk¹; ¹Bioengineering, Rice Univ., USA; ²Department of Molecular Physiology and Biophysics, USA.* Real-time hyperspectral imaging of pancreatic β -cell dynamics is achieved by utilizing an Image Mapping Spectrometer (IMS). The calcium signal was successfully monitored during caspase-3 mediated FRET in cellular apoptosis.

BWC5 • 15.15

Study of Cationic Polymer/DNA Complex (Polyplex) Formation by Time-Resolved Fluorescence Spectroscopy, *Cosimo D'Andrea¹, Andrea Bassi¹, Paola Taroni¹, Daniele Pezzoli², Alessandro Volonteri², Gabriele Candiani²; ¹Physics, IFN-CNR, IIT, Politecnico di Milano, Italy; ²Dipartimento di Chimica, Materiali e Ingegneria Chimica, Politecnico di Milano, Italy.* Time-resolved fluorescence spectroscopy of SYBR Green is carried out to characterize cationic polymer/DNA complex (polyplex) formation in solution. Both fluorescence amplitude and lifetime prove to be very sensitive to the Charge Ratio polymer/DNA.

BWC6 • 15.30

Fluorescence Lifetime Imaging Microscopy (FLIM) for Intraoperative Tumor Delineation: A Study in Patients, *Yinghua Sun¹, Jeremy Meier², Nisa Hatami¹, Jennifer Phipps¹, Rudolph J. Schro², Brian Poirier², Gregory Farwell², Daniel Elson³, Laura Marcu¹; ¹Dept. of Biomedical Engineering, Univ. of California at Davis, USA; ²School of Medicine, Univ. of California at Davis, USA; ³Inst. of Biomedical Engineering, Imperial College London, UK.* This work demonstrates a novel application of an endoscopic fluorescence lifetime imaging microscopy system to the intraoperative diagnosis of brain tumor glioblastoma multiforme (GBM) and head&neck tumor squamous cell carcinoma (SCC) in patients.

NOTES

Key to Authors and Presiders

(**Bold** denotes Presider or Presenting Author)

A

Aaron, Jesse S-OMA3
Abdisalaam, Salim-JTuA5
Abeytunge, Sanjee-OTuB6
Achilefu, Samuel-OTuC1
Afanasiev, Kirill-JTuA34
Ahn, Hyo-Yang-OMD5, OTuC3
Akers, Walter J.-OTuC1
Alavanja, Jovan-BWA1
Albert, Jacques-BMC2
Albrieux, Mireille-JTuA18
Altmeyer, Stefan-NTuB5
Anand, Suman-OTMD6
Andersen, Dan-BTuC4
Andilla, Jordi-NWB6
Andrade, Carolina D-JTuA17, OTuC3
Antal, Peter Gyula-JTuA12
Anvari, Bahman-OTuC2
Appaix, Florence-JTuA18
Applegate, Brian E-NMD5, OMA2
Araneda, Gabriel-JTuA33
Arathorn, David W-BMA2
Arfire, Cristian-NTuC7
Arianpour, Ashkan-BTuA1, BTuA4
Arkipov, Sergey-BWB4
Arnold, Craig B-OTTuA5
Arridge, Simon-OTuB3
Artal, Pablo-BMA1
Artigas, David-NWB6
Aviles-Espinosa, Rodrigo-NWB6

B

Baer, Tom-NMC6
Bagchi, Srijeeta-JTuA22
Balderas-Mata, Sandra-BMA3
Barker, Peter-OTMB2
Barrett, Michael-OTTuC1
Bartels, Randy-NTuC1
Bassi, Andrea-BWC5, OTuB3
Bedard, Noah-NWB4
Begin, Steve-NMC3
Behme, Gerd-JTuA28
Belfield, Kevin D-JTuA17, JTuA21
Belfield, Kevin D.-OMB4
Belfield, Kevin D.-OMB5, OMD3, OMD4, OMD5, OTuC3
Belkebir, Kamal-NMA4, NMB4
Benarous, Juliette-JTuA14
Benchimol, Michael J.-OMD2
Bendix, Poul Martin-OTMA3
Beneke, Jan-NTuB5
Bengtsson, Jörgen-OTTuA2
Berezin, Mikhail-OTuC1
Bergoend, Isabelle-NTuC7
Bewersdorf, Joerg-NMA1
Bigio, Irving J-BMD7, OMC5
Binding, Jonas-JTuA14
Boccaro, Albert C-NTuA3
Boccaro, Claude-JTuA14

Bogusevschi, Diana-BTuB1
Boisseau, Sylvie-JTuA18

Bokor, Jeffrey-NMA5
Bondar, Mykhailo V.-OMD4
Borghese, Ferdinando-JTuA25
Botvinick, Elliot L.-OTMC6
Bourdieu, Laurent-JTuA14
Boustany, Nada N.-BMD6
Brewer, Molly-BWB3
Brown, Albert-NTuA5
Brown, Christopher M-NWA2
Brzobohaty, Oto-JTuA32
Bub, Gil-NMD1
Burgoyne, Bryan-NMC3
Burnham, Daniel Richard-OTMD4
Böttcher, Claudia-JTuA28

C

Cabrini, Stefano-NMA5
Campagnola, Paul J-BWB3
Campbell, Gretchen K-OTMA4
Campbell, Paul-JTuA19, JTuA20, JTuA27
Candiani, Gabriele-BWC5
Capps, Arlie G-BMA3
Caravaca, Antonio-NTuA5
Carlson, Christine A-OTMC5
Carminati, Rémi-NTuA3
Carney, Scott-NTuB2
Carson, Bryan D-OMA3
Chandler, Eric V-NMC5
Chandra, Malavika-OMC3
Chaudhery, Vikram-BMC4
Chaumet, Patrick C-NMA4, NMB4
Chen, Benjamin K-JTuA10
Chen, George-JTuA2, NMD7, OTuA5
Chen, Leng-Chun-OMC3
Chen, Nanguang-NWA4
Chen, Xiyi-BWB3
Chen, Ying-Ling Ann-JTuA1
Chen, Yongping-BWA5
Chen, Yu-BMB4
Chen, Zhongping-NWA3
Cheng, Guanxiao-NTuB7
Cheong, Fook Chiong-BMD5
Chhetri, Raghav-OMB3
Chiba, Akito-NMA6
Chiu, Daniel T-OTMD4
Cho, Eikhyun-BMC3
Chow, Tzu Hao-JTuA31
Chu, Kaiqin-BWA3
Chu, Kengyeh K-NWB3
Chu, Kengyeh Ken-NWB5
Cicuta, Pietro-OTMC4
Cisternas San Martín, Nataly-JTuA33
Clark, Christopher A-BWA1
Cohen, Joel-OTTuB6
Collins, Patrick-BTuB1

Conkey, Donald B-NTuA5, OTMD2
Cooper, Jonathan-OTMD6, OTTuC1
Corbett, Alex David-NMD1
Cornaglia, Matteo-NMA5
Cote, Daniel-NMC3
Cotte, Yann-NTuC7

Creath, Katherine-NTuB6
Crow, Matthew-OTuA3
Culbertson, William-BTuC4
Cummings, Arthur-BTuB1
Cunningham, Brian-BMC4
Czajkowski, Amber-BWA2

D

D'Andrea, Cosimo-BWC5, OTuB3
Dai, Hongjie-OMB2
Dainty, Chris-BTuB1, NMB5
Dale, Benjamin M-JTuA10
Dantus, Marcos-NMD2
DeRosa, Maria-BMC2
DeSoto, Michael-OTuB5
Denti, Paolo-JTuA25
Denz, Cornelia-OTTuB3
Depaulis, Antoine-JTuA18
Depeursinge, Christian Daniel, C.-JTuA13, NTuC2, NTuC6, NTuC7
Detavernier, Aurélie-BTuC3
Deutsch, Lydia-OTuB2
Deyev, Sergey M-OMD1
Dholakia, Kishan-OTTuA1
Dodds, Calvin-OTMD6
Drake, Tyler Kaine-OTuB5
Drezek, Rebekah-OMB1, OMD
Drobizhev, Mikhail-OTuC4
Dubois, Frank-BTuC3
Ducros, Nicolas-OTuB3
Dunn, Andrew-NTuA1
Durst, Michael-NMD6
Dwyre, Denis-BWA3
Dylov, Dmitry V-NTuC5

E

Eckerskorn, Niko-OTMD5
Eggert, Helge-JTuA28
El Mallahi, Ahmed-BTuC3
Eldar, Yonina C-NMA3
Elliott, Amicia-BWC4
Elsner, Ann E-BWA1
Elson, Daniel-BWC6
Emelianov, Stanislav-OMC1
Engström, David-OTTuA2
Ergin, Aysegul-OMC5
Erickson, David-OTMA1
Esener, Sadik C-OMD2
Esseling, Michael-OTTuB3

F

Fainman, Yeshaiahu-BMC1
Fang, Nicholas-OTMA2
Fang, Xiao-BTuA3
Fardel, Romain-OTTuA5
Farwell, Gregory-BWC6
Feinberg, Stephen-OMC3
Ferrand, Patrick-NMB7
Fiedler, Callie-NMB3

Key to Authors and Presiders

(**Bold** denotes Presider or Presenting Author)

Field, Jeffrey J-NMC5
Fink, Mathias-NTuA3
Fischer, Martin-NMD3
Fleischer, Jason W-NTuC4, NTuC5
Ford, Joseph-BTuA4
Ford, Tim N-NWB3
Francis, Tariq-BMC2
Frank, Johannes-NTuB5
Frawley, Mary-JTuA30, OTTuA6
Frazer, Andrew-JTuA21
French, Paul-OTuA2, OTuB
Friedman, Neil-BTuC4
Friedrich, Lars-OTMC3
Fung, Kin Hung-OTMA2

G

Gambhir, Sanjiv S-OMB2
Gao, Guangjun-NWA4
Gao, Hao-OTuA4
Gao, Liang-BWC4, NWB4
Gardner, Adam R-BMD3
George, Sherine-BMC4
Geraci, Andrew A.-OTMB3
Gerega, Anna-OMC4
Gerken, Martina-NTuC3
Ghijssen, Michael-OTuA4
Ghosh, Ruby-BMD2
Gigan, Sylvain-JTuA14, NTuA3
Giovannini, Hugues-NMA4, NMB4
Girard, Jules-NMA4, NMB4
Girod, Sabine-JTuA18
Glaesener, Stefan-OTTuB3
Glückstad, Jesper-OTTuC3
Goksör, Mattias-OTTuA2
Goncharov, Alexander-BTuB1
Goodman, Joseph W-NMA3
Gordon, Reuven-NMA5
Grier, David G-BMD5, OTTuA3
Grimmond, Brian-BMD4
Grover, Ginni-NMB3
Gucciardi, Pietro-JTuA25
Guillemain, Isabelle-JTuA18
Gulsen, Gultekin-BMB2, BMD4, OTuA4
Gundersen, Martin A-JTuA3
Guo, Huanqing-BTuB1
Gurjar, Rajan-JTuA16

H

Hagen, Nathan-BWC4, NWB4
Haggerty, Bryan P-BWA1
Halas, Naomi-OTMA4
Hammer, Martin-OTuB2
Hatami, Nisa-BWC6
Hayakawa, Carole-BMD3
He, Lina-BMC5
He, Reui-Yu-BWB3
Helmerson, Kristian-OTMA4
Henderson, Marcus-OTuB5
Heo, Youra-BMC3
Herzig, Hans Peter-BMC6
Hester, Brooke Cranswick-OTMA4
Hippensteel, Forrest-NMA2

Hirst, Linda S-OTTuB2
Ho, Eric-NMC6
Hoover, Erich E-NMC5
Howard, Scott-JTuA8
Hsu, Mark J-OMD2
Hu, Chao-NTuB7
Huang, Cheng-Sheng-BMC4
Huang, Tony Jun-BWB5, JTuA4, OTTuB1
Hughes, Thomas-OTuC4
Huland, David-JTuA8
Hunter, Jennifer-BMA4
Huschka, Ryan-OTMA4
Huser, Thomas-JTuA10
Hwang, Jeeseong-BWC2

I

Iati, Maria A-JTuA25
Inami, Wataru-NMA6
Ismach, Ariel-NMA5
Iwaki, Takafumi-OTTuA4
Izatt, Joseph-BMB1, OTuA3
Izumi, Kenji-OMC3

J

Jentsch, Susanne-OTuB2
Jester, James V.-BWB2
Jezek, Jan-OTMA6
Jo, Javier A-OMC6
Johnston-Peck, Aaron-OMB3
Jonas, Alexandr-OTMA6
Jones, Phil-JTuA24, JTuA25, JTuA26, OTMD1
Joshi, Shailendra-OMC5
Jourdain, Pascal-JTuA13
Jung, Bongsu-OTuC2
Jung, Myungki-BMC3
Junio, Joseph-OTTuB6

K

Kang, Jin U-BTuC2
Kang, Shinill-BMC3
Karasek, Vitezslav-JTuA23, JTuA32
Katz, David-OTuB5
Kawata, Yoshimasa-NMA6
Kelf, Timothy A-OMD1
Kester, Robert-BWC4, NWB4
Khara, Galvin-JTuA30
Kheifets, Simon-OTMB1
Kim, Dae Yu-BMA3
Kim, Hyun Min-NMC4
Kim, Seokmin-BMC3
Kim, Susy M-NMC5
Kim, Woosung-BMC5
Kitching, John-OTMB3
Klemm, Matthias-OTuB2
Knorr, Florian-JTuA6
Ko, Kaspar D-OTMA2
Kohl, Anja-BMC4
Kolodziejski, Noah-JTuA16
Kolonics, Attila-JTuA12

Komatsu, Masanobu-JTuA17, OMB4, OMB5, OMD3, OTuC3
Kong, Lingbo-OTMC2
Korlach, Jonas-BWC1
Korobtsov, Alexander-JTuA34
Kotova, Svetlana-JTuA34
Kou, Shan Shan-NTuC6
Kozawa, Yuichi-JTuA29, NMB6
Kozek, Krystian-OMB3
Kremer, Clemens-OTTuC1
Krishnatreya, Bhaskar Jyoti-OTTuA3
Krolikowski, Wieslaw-OTMD5
Kumar, Anil-OTMA2
Kuo, Shihyang-OMC3
Kyrsting, Anders-OTMA3
Kühn, Jonas-JTuA13

L

LaComb, Ronald-BWB3
Lafratta, Christopher N-OTTuC4
Lane, Stephen-BWA3
Lara, David-NMB5
Larson, Bjorg A-OTuB6
Le Moal, Eric-NMB7
Lee, Hyeran-OTuC1
Lee, Steven F-NMB2
Lee, Woei Ming-JTuA31
Lemmer, Uli-NTuC3
Lerosey, Geoffroy-NTuA3
Levecq, Xavier-NWB6
Levene, Michael J-NWB1
Levi, Moshe-NMC2
Lew, Matthew D-NMB2
Lewis, Jim-JTuA1
Li, Guoqiang-BTuA3
Li, Haowen-NMD2
Li, Jiasong-BWA5
Li, Ming-Jun-NWA1
Li, Tongcang-OTMB1
Li, Xingde-BWA5, NWA1
Li, Yangguo-BTuC5
Li, Yichao-BTuC5
Li, Yong-qing-OTMC2
Li, Yongbiao-OTuB6
Liang, Liang-NMC6
Lidstone, Erich-BMC4
Liebert, Adam-OMC4
Lim, Daryl-NWB3, NWB5
Lim, Jiseok-BMC3
Lim, Ryan S-NMC2
Lin, Charles P.-OTuB1
Lin, Yuting-BMD4, OTuA4
Lin, Zhifang-OTTuB6
Lipson, Michal-OTMA5
Liu, Gang Logan-OTMA2
Liu, Henry C-NMD3
Lloyd, William-OMC3
Lo, Yuhwa-BTuA1, BTuA4

Key to Authors and Presiders

(**Bold** denotes Presider or Presenting Author)

Loloe, Reza-BMD2
Loo, Joachim-JTuA2
Losevsky, Nikolay-JTuA34
Loza-Alvarez, Pablo-NWB6
Luk, Alex-BMD4
Luo, Liqun-NMC6
Léger, Jean-François-JTuA14

M

Ma, Jingxing-BTuC3
MacDonald, Michael Peter-**OTTuB4**
Magistretti, Pierre J-JTuA13
Maire, Guillaume-NMB4
Maitland, Kristen Carlson-**JTuA15**
Makarov, Nikolay-OTuC4
Manesse, Mael-**OTTuC4**
Maniewski, Roman-OMC4
Mao, Xiaole-BWB5
Marago, Onofrio-JTuA25, JTuA26, OTMD1
Marcelo, Cynthia-OMC3
Marcu, Laura-**BMB3**, BWC6
Marks, Daniel-NTuB2
Marquet, Pierre-JTuA13, NTuC2, NTuC6
Masand, Shirley N-BMD6
Mason, Thomas-**OTTuC5**
Mathias, Patrick-BMC4
Matthews, Dennis-BWA3
Matthews, Thomas-NMD4
Mayzner-Zawadzka, Ewa-OMC4
McGloin, David-**OTMD6**
McNerney, Gregory-JTuA10
Medellin, David-OTMB1
Meier, Jeremy-BWC6
Meng, Max Q.-H.-NTuB7
Mercier, Vincent-NMC3
Mertz, Jerome-NMD6, NWB3, NWB5
Milej, Daniel-OMC4
Miller, Matthew W-OMC6
Min, Wei-NMC1
Minetti, Christophe-BTuC3
Mir, Mustafa-NTuB2
Miyakawa, Atsuo-NMA6
Moerner, W. E-**NMB1**, NMB2
Morales, Alma R-JTuA17, JTuA21, OMB4, **OMB5**, OMD3, OMD4
Mudry, Emeric-**NMA4**, **NMB4**, **NMB7**
Muller, Matthew S-BWA1
Mulvey, Christine S-**BMD7**
Murari, Kartikeya-BWA5, NWA1
Musi, Valeria-BMC6
Mycek, Mary-Ann-**OMA**, **OMC3**
Myhre, Graham-BTuB4

N

Nadiarnykh, Oleg-BWB3
Nalcioglu, Orhan-BMD4, OTuA4
Nawa, Yasunori-NMA6
Nawaz, Ahmad Ahsan-**BWB5**, JTuA4
Nazirzadeh, Yousef-**NTuC3**
Neale, Steve Leonard-OTMD6, **OTTuC1**
Ng, Beng Koon-JTuA31, NMD7, OTuA5
Ng, Eugene-BTuB1

Ng, Jack-OTTuB6
Nguyen, Dao M-JTuA21
Nic Chormaic, Sile-JTuA30, OTTuA6
Ntziachristos, Vasilis-**OTuA1**
Nylk, Jonathan-OTMD6

O

Oddershede, Lene-OTMA3
Ogletree, Frank-NMA5
Olarde, Omar-NWB6
Oldenburg, Amy-**OMB3**
Olsovsky, Cory-JTuA15
Ono, Atsushi-NMA6
Ou-Yang, Daniel-OTMD3, OTTuB6
Ozcan, Aydogan-**NWB2**
Ozdemir, Sahin K-BMC5

P

Paeder, Vincent-**BMC6**
Palacios, Manuel A-OTTuC4
Palanker, Daniel-**BTuC4**
Pang, YJuanJie-NMA5
Papay, Joel A-BWA1
Papoutsoglou, George-**OMA5**
Papp, Scott B-OTMB3
Pasternack, Robert-BMD6
Patel, Radhika-JTuA24, JTuA26
Patlan, Vsevolod-JTuA34
Pau, Stanley-**BTuB4**
Pavani, Prassanna-OTMD2
Pavillon, Nicolas-**JTuA13**, NTuC6
Pawlikowska, Agata-JTuA24, JTuA26, OTMD1
Peng, Leilei-**BWC3**
Persson, Martin-**OTTuA2**
Pestov, Dmitry-NMD2
Petcu-Colan, Alex-OTTuA6
Peters, Jennifer-OTuB5
Petrig, Benno L-BWA1
Petrov, Dmitri-**OTMB4**
Pezzoli, Daniele-BWC5
Phillips, Aaron F-OTTuC4
Phipps, Jennifer-BWC6
Piestun, Rafael-NMB3, NTuA5, OTMD2
Pilat, Zdenek-**OTMA6**
Piletic, Ivan-NMD4
Pilli, Suman-BMA3
Pinon, Tessa M.-**OTTuB2**
Piston, David-BWC4
Poirier, Brian-BWC6
Popescu, Gabriel-JTuA9, **NTuB1**, NTuB2
Popoff, Sébastien M-NTuA3
Porcar-Guezenec, Rafael-NWB6
Potma, Eric-NMC2
Prescher, Jennifer-OMB2
Przhonska, Olga V-OMD4
Pégar, Nicolas Christian-**NTuC4**

Q

Quick, Silvio-OTuB2
Quirin, Sean-NMB3

R

Rabin, Bryan-BMD6
Raizen, Mark G-**OTMB1**
Rajadhyaksha, Milind-**OMC2**, **OTuA**, OTuB6
Rallapalli, HariKrishna-OMB2
Rao, Ayala L-OTuC2
Razueva, Eugenia-JTuA34
Rebane, Aleksander-OTuC4
Reece, Peter John-**OTTuC2**
Reihani, Nader-OTMA3
Ren, Qiushi-**BTuB3**
Rinehart, Matthew Thomas-**NTuB3**, **OMA4**
Rivera, David Rudy-**NWA2**
Robles, Francisco-**OTuB4**
Rode, Andrei-OTMD5
Rodriguez, Oscar-**NMB5**
Rodriguez-Díaz, Eladio-NWB3
Roemer, Johannes-JTuA18
Rohrbach, Alexander-OTMC3
Romeo, Stefania-JTuA3
Roorda, Austin J.-**BMA2**
Rosenberg, Jarrett-OMB2
Roxworthy, Brian James-**OTMA2**
Roy, Debasish-JTuA22

S

Saija, Rosalba-JTuA25
Saldua, Meagan-JTuA15
Salmeron, Miquel-NMA5
Samek, Ota-OTMA6
Samineni, Prathyush-**NMD3**
Sandstedt, Christian-**BTuB2**
Sato, Shunichi-JTuA29, NMB6
Satterwhite, Lisa-NTuB3, NTuB4, OMA4
Sawosz, Piotr-OMC4
Sayyad, Arshad-BTuB4
Schenke, Stefan-OTuB2
Schlup, Philip-NTuC1
Schneider, Thomas-OTMD4
Schnitzer, Mark-NMC6
Schrot, Rudolph J-BWC6
Schuck, Peter Jim-NMA5
Schuele, Georg-BTuC4
Schutt, Carolyn E-OMD2
Schwartzberg, Adam-NMA5
Schweiger, Martin-OTuB3
Schweitzer, Dietrich-**OTuB2**, **OTuC**
Seibel, Eric J-OMC6
Selim, Angelica-NMD4
Senarathna, Janaka-**BWA4**
Sentenac, Anne-NMA4, NMB4, NMB7
Sergides, Marios-**JTuA24**, JTuA26, OTMD1
Sery, Mojmir-OTMA6
Shaffer, Etienne-**NTuC2**
Shaked, Natan T-NTuB3, NTuB4, OMA4
Sharapov, Anton-BTuB1
Sharping, Jay E-OTTuB2
Sheehan, Matt-BTuB1
Sheetz, Kraig E-NMC5
Sheppard, Colin J. R.-NTuC6
Shevchenko, Yanina-**BMC2**

Key to Authors and Presiders

(**Bold** denotes Presider or Presenting Author)

Shi, Lei-JTuA1
Shvedov, Vladlen-OTMD5
Sierra, Heidy-**BMD6**
Siler, Martin-**JTuA23**
Simpson, Mary Jane-**NMD4**
Sincich, Lawrence C-BMA2
Singh, Satish K-NWB3
Sinha, Supriyo-**NMC6**
Skala, Melissa-**OTuA3**
Skelton, Susan E-JTuA24, **JTuA26**
Skelton, Susan-OTMD1
Small, Alexander R-**JTuA11**, NMA2
Smalyukh, Ivan I-OTMD2
Smith, Bryan R.-**OMB2**
Smith, Kevin-BTuB1
Smith, Zachary J-BWA3
Smith, Zachary-**JTuA6**
Sokolov, Konstantin-**OMB**
Spanier, Jerome-BMD3
Squier, Jeff A-NMC5
Sreenivasan, Varun K-OMD1
Staforelli, Juan Pablo-JTuA33
Steven Lin, Sz-Chin-BWB5
Stranick, Stephan-NMC4
Suhaim, Jeffrey L-NMC2
Sun, Yinghua-**BWC6**
Szigligeti, Attila-JTuA12
Szipocs, Robert-**JTuA12**

T

Tabakman, Scott-OMB2
Takashima, Yuzuru-NMA3
Talneau, Anne-NMB4
Tangella, Krishnarao-JTuA9
Taroni, Paola-BWC5
Terakawa, Susumu-NMA6
Thalhammer, Gregor-**OTTuB5**
Thompson, Deanna L.-**JTuA10**
Tillo, Shane-OTuC4
Timlin, Jerilyn-**OMA3**
Tiruveedhula, Pavan-BMA2
Tkaczyk, Tomasz-BWC4, **NWB4**
Toledo-Crow, Ricardo-OTuB6
Toussaint, Kimani C-OTMA2
Tracy, Joseph-OMB3
Tremblay, Eric-BTuA4
Trivedi, Rahul P-OTMD2
Tromberg, Bruce J-NMC2
Tsai, Frank-BTuA1
Tsai, Yu-Cheng-OTTuA5
Tsykaliak, Roman Myhailovych-**JTuA7**
Tuten, William S-BMA2

U

Urakami, Takeo-JTuA17, OMB4, OMB5,
OMD3, OTuC3
Urban, Jeffrey-NMA5
Uzgiris, Egidijus E-BMD4

V

Valentini, Gianluca-OTuB3
Vallée, Réal-NMC3
van Mameren, Joost-JTuA28
van Putten, Elbert G.-**NTuA4**
van der Sanden, Boudewijn-JTuA18
Vasu, Ram Mohan-JTuA22
Vasudevan, Srivathsan-NMD7
Venugopalan, Vasan-BMD3
Verbanck, Michel-BTuC3
Vernier, P. Thomas-JTuA3
Vial, Jean-Claude A-**JTuA18**
Vida, Ryan-JTuA1
Villeneuve, Alain-NMC3
Vitek, Dawn N-NMC5
Vohnsen, Brian-**BTuA5**
Volonterio, Alessandro-BWC5
Volostnikov, Vladimir-JTuA34
Vorontsov, Evgeny-JTuA34

W

Wachsmann-Hogiu, Sebastian-BWA3,
JTuA6
Waller, Laura-**NTuC5**
Walt, David R-OTTuC4
Wan, Qiujiu-NMD5
Wang, Jing W-NMC5
Wang, Lihong-**OMA1**, **OMC**
Wang, Mei-OMC5
Wang, Ming-JTuA1
Wang, Ruikang-**BTuC1**
Wang, Xuhua-JTuA21, **OMD3**, **OMD4**,
OMD5
Wang, Zhuo-**JTuA9**, **NTuB2**
Warnasooriya, Nilanthi-NMD5
Warren, Warren S-NMD3, NMD4
Wax, Adam-NTuB3, NTuB4, OMA4,
OTuA3, OTuB4, OTuB5
Webb, Watt W-JTuA8, NWA2
Weber-Bargioni, Alexander-**NMA5**
Wege, Hartmut-JTuA18
Weigl, Wojciech-OMC4
Werner, John S-BMA3
Wette, Sebastian-NTuB5
Wilde, Jeffrey P.-**NMA3**
Wilson, Jesse-NTuC1
Wilson, Tony-**BTuA2**, NMD1
Woehl, Jorg Christian-**OTMC5**
Wolf, David-JTuA16
Wong, Chi Lok-OTuA5
Wu, Yu-Hsuan-**JTuA3**
Wuite, Gijs-**OTMC1**

X

Xi, Jiefeng-BWA5, NWA1
Xu, Bingwei-NMD2
Xu, Chris-**BWB1**, JTuA8, NWA2

Y

Yanez, Ciceron-**JTuA17**, OMB4
Yanez, Ciceron O-OMB5
Yanez, Ciceron-OTuC3

Yang, Changhuei-**NTuA2**
Yang, Lan-BMC5, **BMD1**
Yang, Qiang-BMA2
Yao, Sheng-OMD5
Yao, Xincheng-**BTuC5**
Yasuda, Ryohei-NMD3
Yirga, Nahom-JTuA11
Young, Michael D-NMC5
Yourassowsky, Catherine-BTuC3
Yun, S H Andy-**NWA5**

Z

Zavaleta, Cristina-OMB2
Zawadzki, Robert J-**BMA3**
Zemanek, Pavel-JTuA23, JTuA32, OTMA6
Zhan, Qiwen-OTMD3
Zhang, Kang-**BTuC2**
Zhang, Pengfei-**OTMC2**
Zhang, Qiuxiang-BTuC5
Zhang, Yuying-BWA5, **NWA1**
Zhao, Dongxue-BTuA3
Zhao, Ming-BWC3
Zhao, Yanhui-BWB5, **JTuA4**
Zheng, Jing Yi-BMD6
Zhou, Liangcheng-**OTMD3**, **OTTuB6**
Zhu, Jianguang-BMC5
Zhu, Xiangdong-**BMC7**
Zhu, Yizheng-**NTuB4**
Zvyagin, Andrei V-**OMD1**

2011 Optics in the Life Sciences: OSA Optics and Photonics Congress

Topical Meeting Update Sheet and Exhibit Guide

Location Updates

Please note the following meeting room updates:

BODA Technical Session Room: Regency 4 - 6, 2nd Floor

NTM Technical Session Room: Regency 1- 3, 2nd Floor

OMP Technical Session Room: Spyglass 1 – 2, 1st Floor

OTA Technical Session Room: Big Sur 1- 3, 1st Floor

Welcome Reception: Beach Grove

Exhibits/Coffee Break: Regency Main

Program Corrections

The first OMP session **OMA: Advances in Instrumentation or Algorithms I** will run Monday, 4 April, 08.00-10.00 in Spyglass 1 – 2.

Please note the corrected title and author block of **JTuA18, Intravital, Non-Invasive Staining of the Mouse Astrocytic Network Through IV Administration of Sulforhodamine Dyes**, *Jean-Claude Vial¹, Clément Ricard³, Boudewijn van der Sanden², Raphaël Serduc², Pascale Vérand³*. ¹ CNRS UMR 5588 LIPHY 38402 Saint Martin d'Hères, France; ² INSERM, UMR-S 836, GIN, Grenoble 38043, France; ³ Univ. Joseph Fourier, Grenoble, France

Congratulations to Lihong Wang, the 2011 Mees Medal Recipient. The medal will be presented during the Welcome Reception.

Presenter Changes

- Yann Cotte; *EPFL, Switzerland* will present **NTuC2, Holographic Second Harmonic Generation Microscopy**.
- V. Karasek; *Inst. of Scientific Instruments of the ASCR, Czech Republic* will present **OTTuC3, Optical Forces near Surface: Full 3-D Finite Element Method Based Calculations**.
- S. Kou; *EPFL, Switzerland* will present **JTuA13, Early Glutamate-mediated Cell Death Detection with Digital Holographic Microscopy**

Presider Updates

- *Mary-Ann Mycek; Univ. of Michigan, USA* will preside over **OMA: Advances in Instrumentation or Algorithms I**.

Withdrawn Presentations

OMA5
OTMA4
OTMB4
OTMD4
OTTuA2
OTTuC2
OTTuC5
JTua33

POSTDEADLINE PRESENTATIONS: Please see the postdeadline papers book for times and locations of postdeadline paper presentations.

EXHIBIT GUIDE

BaySpec, Inc.

1101 McKay Drive
San Jose, CA 95131 USA
P: +1 408.512.5928
F: +1 408.512.5929
sales@bayspec.com
www.bayspec.com

BaySpec, Inc., founded in 1999 with 100% manufacturing in the USA (San Jose, California), is a vertically integrated spectral sensing company. The company designs, manufactures and markets advanced spectral instruments, from UV-VIS spectrometers to handheld and portable NIR and Raman analyzers, for the biomedical, pharmaceuticals, chemical, food, semiconductor, homeland security, and the optical telecommunications industries.

Boulder Nonlinear Systems

450 Courtney Way
Lafayette, CO 80026 USA
P: +1 303.604.0077
F: +1 303.604.0066
kelly@bnonlinear.com
www.bnonlinear.com

Boulder Nonlinear Systems, Inc. (BNS) specializes in liquid crystal control solutions for both laser-based and imaging systems. Company R & D strengths are leveraged into OEM and standard products targeted for adaptive optics, biomedical, defense, microscopy, optical computing/storage, optical trapping IR scene projection and telecommunications applications. Products include XY and Linear format Spatial Light Modulators, Optical Shutters, Polarization Rotators, and associated electronics.

Chroma Technology Corp

10 Imtec Lane
Bellows Falls, Vermont 05101 USA
P: +1 800.824.7662
F: +1 802.428.2525
sales@chroma.com
www.chroma.com

Chroma Technology Corp. is an employee-owned company that specializes in the design and manufacture of precision optical filters and coatings. Our filters have been developed for myriad applications from 220-2600nm. For each of these applications we provide the greatest accuracy in color separation, optical quality and signal purity. We provide application engineering support, short cycle times and are as comfortable designing and manufacturing custom filters as we are our catalog items.

Edmund Optics

101 E. Gloucester Pike
Barrington, NJ 08007 USA
P: +1 800.363.1992
sales@edmundoptics.com
www.edmundoptics.com

Edmund Optics is a leading producer of optics, imaging, and photonics technology. Supporting the R&D, semiconductor, pharmaceutical, biotech and defense markets around the globe; EO products are used in a variety of applications ranging from DNA sequencing to retinal eye scanning to high-speed factory automation. EO's state-of-the-art manufacturing capabilities combined with its global distribution network has earned it the position of the world's largest supplier of off-the-shelf optical components. Customers can purchase items by contacting EO at 1-800-363-1992 or www.edmundoptics.com.

2011 Optics in the Life Sciences: OSA Optics and Photonics Congress

Topical Meeting Update Sheet and Exhibit Guide

Genia Photonics

1111 Lapierre, Suite 1.855
Lasalle, QC H8N 2J4 Canada
P: +1 514.364.0343

joseph.salhany@geniaphotonics.com
www.geniaphotonics.com

Genia Photonics develops and manufactures a series of fiber based components and laser systems that will significantly change the way certain procedures and functions are performed in the medical, industrial, and military communities. A combination of optical, electrical, and mechanical expertise has led to a series of patented design breakthroughs that are at the core of these lasers systems, offering capabilities that are unique as the design.

JPK Instruments AG

Bouchéstr. 12
12435 Berlin, Germany
P: +49 30.5331.12070
F: +49 30.5331.22555

cl.boettcher@jpk.com
www.jpk.com

JPK Instruments AG is a world-leading manufacturer of nanoanalytic instruments – particularly atomic force microscope systems and optical tweezers – for a broad range of applications reaching from soft matter physics to nano-optics, from surface chemistry to cell and molecular biology. Headquartered in Berlin and with direct operations in Dresden, Cambridge (UK), Singapore, Tokyo (Japan) and Paris (France), JPK maintains a global network of distributors and support centers.

Laser Quantum

Emery Court, Vale Road
Stockport, Cheshire SK4 3GL, UK
P: +44 (0) 161.975.5300
F: +44(0) 161.975.5309

info@laserquantum.com
www.laserquantum.com

Laser Quantum is a world-class manufacturer of high quality solid-state lasers. Our products are known for reliability, performance-excellence and a long operational life. You'll find our products in laboratories and integrated in systems world-wide. Our expertise meets the needs of industry, aerospace, biomedicine and research. By working with our customers, our lasers are found in applications including femtosecond Ti:Sapphire pumping, PIV, microscopy, fluorescence imaging and Raman spectroscopy.

MAD CITY LABS, INC.

2524 Todd Drive
Madison, WI 53713
P: +1 608.298.0855
F: +1 608.298.9525

sales@madcitylabs.com
www.madcitylabs.com

Mad City Labs, Inc. manufactures nanopositioning systems suitable for SR microscopy, optical trapping, high speed imaging, single molecule biophysics, AFM and NSOM. Features: high stability, picometer resolution, proprietary PicoQ® sensors, closed loop control, long range precision motion, imaging and automation software compatibility (e.g. MetaMorph, MicroManager and LabView).

Newport Corporation

1791 Deere Ave.
Irvine, CA 92606 USA
P: +1 949.863.3144
F: +1 949.253.1680

sales@newport.com
www.newport.com

Newport is a supplier of innovative solutions to multiple marketplaces including the photonics and photovoltaic industries. Our combined product portfolio which includes Corion®, New Focus™, Oriel® Instruments, Richardson Gratings™ and Spectra-Physics® Lasers enables us to better partner with our customers to provide complete photonic solutions to make, manage and measure light.

PolarOnyx, Inc.

2526 Qume Drive, Suites 17 & 18
San Jose, CA 95131 USA
P: +1 408.573.0930
F: +1 408.573.0932

sales@polaronyx.com
www.polaronyx.com

World leading company in high energy/power ultra short (fs, ps, ns) fiber lasers. Excellent for material processing, micromachining, spectroscopy, microscopy, biomedical instrumentation and optical sensing applications. OEM and instrument versions are available. Wavelength ranges from UV to Mid-IR. New products include: Compact high power/energy fs fiber laser from UV to IR. Contact: Lihmei Yang, Director of Sales & Products, lihmeitang@polaronyx.com

Covidien

60 Middletown Ave
New Haven, CT 06473 USA
P: +1 203.492.5000

<http://www.covidien.com>

Covidien is a leading global healthcare products company that creates innovative medical solutions for better patient outcomes and delivers value through clinical leadership and excellence. Covidien manufactures, distributes and services a diverse range of industry-leading product lines in three segments: Medical Devices, Pharmaceuticals and Medical Supplies. Covidien has approximately 42,000 employees worldwide in more than 60 countries, and its products are sold in over 140 countries. Please visit www.covidien.com to learn more about our business.

**OSA would like to give a special
Thank You to our Gold Sponsor!**




COVIDIEN

positive results for life™

**Photography is not permitted the exhibit hall.
Thank you!**

2011 OSA
OPTICS &
PHOTONICS
CONGRESS



POSTDEADLINE PAPERS

Optics in the Life Sciences

Bio-Optics: Design and Application (BODA)

**Optical Molecular Probes, Imaging and
Drug Delivery (OMP)**

Optical Trapping Applications (OTA)

ISBN 978-1-55752-925-1

4-6 April 2011

Hyatt Regency Monterey
Monterey, California, USA

www.osa.org/congresses

IMAGE CREDIT: N. ROSIDI AND C. B. SCHAFER

OSA[®]

Optics in the Life Sciences Postdeadline Abstracts

• Monday, April 4, 2011 •

OTMD • Trapping with Shaped Beams

Big Sur 1-3 (Hyatt)

16:00 – 18:00

Presider to Be Announced

OTMD4p • 17:00

Enhancement of Optical Gradient Force Employed in Optical Tweezers Using a Pulsed Laser Diode, Takamasa Suzuki¹, Takatsugu Maeda¹, Osami Sasaki¹, Samuel Choi¹; ¹Niigata Univ., Japan. The optical gradient force employed in optical tweezers is enhanced using a pulsed laser diode. A time-sharing approach can be applied for performing multiple optical manipulations to obtain gentle and stiff tweezers for delicate samples.

OTMD5p • 17:15

Optical Micromanipulation of Red Blood Cells Using a Microfabricated Optical Fiber into Optical Tweezers, Yogeshwar N. Mishra,^{2,1} Nelson Cardenas¹, Samarendra K. Mohanty¹; ¹Physics, Univ. of Texas at Arlington, USA; ²CELOS, Cochin Univ. of Science And Technology, India. We demonstrate the micromanipulation of RBC's into a tapered fiber-optic trap for the transport into and out of the optical tweezers trap in an orthogonal geometry. We are pursuing high-throughput transport analysis of the RBC's using this system.

• Tuesday, April 5, 2011 •

OTTuC • Trapping Techniques and Applications III

Big Sur 1-3 (Hyatt)

16:00 – 18:00

Presider to Be Announced

OTTuC2p • 16:30

Free-form optical trapping systems, Andreas Oeder^{1,2}, Sebastian Stoebenau^{1,2}, Stefan Sinzinger^{1,2}; ¹Technische Optik, Technische Univ. Ilmenau, Germany; ²IMN MacroNano, Ilmenau, Germany. We report a breakthrough in designing and fabricating free-form trapping systems which opens up a new class of systems for optical micromanipulation. We show 3-D-trapping with a specialized optics (WD=650 μ m), which is made of a single piece of PMMA.

OTuD • OMP Postdeadline Session

Big Sur 1-3 (Hyatt Regency)

17:15 – 18:15

Mary-Ann Mycek; Univ. of Michigan, USA, Presider

OTuD1 • 17:15

Sound Light: Model-free Inherently Quantitative Photoacoustic Imaging of Chromophore Concentrations, Wiendelt Steenbergen¹, Khalid Daoudi¹; ¹MIRA Inst. for Biomedical Technology and Technical Medicine, Univ. of Twente, Netherlands. Photoacoustic imaging is made quantitative by adding acousto-optic tagging, following rules for illumination and detection. The theory will be described and computational and experimental validations will be presented, showing virtues and challenges.

OTuD2 • 17:30

Synthesis of Au₂S/Au Core/Shell Nanostructures, Joseph Young¹, Rebekah Drezek^{1,2}; ¹Electrical and Computer Engineering, Rice Univ., USA; ²Bioengineering, Rice Univ., USA. We present a description of the synthesis process that produces pure Au₂S cores, with no Au byproducts, followed by the growth of a pure Au shell. NIR Au₂S/Au nanoparticles, ~30nm in diameter, have been realized.

OTuD3 • 17:45

Two-photon Imaging of Intracellular Hydrogen Peroxide with a Chemoselective Fluorescence Probe, Hengchang Guo¹, Hossein Aleyasin¹, Scott Howard², Bryan C. Dickinson³, Renee Haskew-Layton¹, Demirhan Kobat², Vivian Lin³, David R. Rivera², Christopher J. Chang^{3,4}, Rajiv R. Ratan¹, Chris Xu²; ¹Burke Medical Research Inst., Weill Medical College of Cornell Univ., USA; ²School of Applied Physics & Engineering, Cornell Univ., USA; ³Dept. of Chemistry, Univ. of California, USA; ⁴Howard Hughes Medical Inst., Univ. of California, USA. We present two-photon molecular imaging of hydrogen peroxide production in mouse hippocampal neuronal cells using Peroxyfluor-6 acetoxymethyl ester, a highly sensitive, small-molecule probe for selective imaging of H₂O₂ within the living cells.

Optics in the Life Sciences Postdeadline Abstracts

• Tuesday, April 5, 2011 •

OTuD4 • 18:00

Characterization of Orthopoxvirus Protein Affinity to Chondroitin Sulfate Using TIRF Microscopy, Jesse Aaron¹, Jerilyn Timlin¹, Masood Hadi²; ¹Dept. Bioenergy and Defense Technologies, Sandia Natl. Labs., USA; ²Biomass Science and Conversion Technology, Sandia Natl. Labs., USA. We investigated the properties of F8L and D8L viral proteins, which mediate viral entry into cells via chondroitin sulfate (CS). We have developed a novel TIRF-based assay to reveal information on binding and nanoscale motility on a CS substrate.

BTuD • BODA Postdeadline Session

Regency 4-6 (Hyatt Regency)

18:15–19:30

Guoqiang Li, Univ. of Missouri at St Louis, USA, Presider

BTuD1 • 18:15

Intraocular Implanted Mirror Telescope for Age Related Macular Degeneration, Isaac Lipshitz¹; ¹OptoLight Vision Technology, Israel. The implanted mirror telescope magnifies the image that is projected on the retina so that eyes with compromised vision like AMD can detect objects that otherwise they cannot see.

BTuD2 • 17:30

Visual Prosthesis: Recent Development and Future Challenges, Qiushi Ren¹; ¹College of Engineering, China. Electrical stimulating the different parts of visual pathway for visual recovery had been proposed by many groups. The latest progress and future challenges was presented.

BTuD3 • 18:45

Endogenous Fluorescence Imaging for the Management of Oral and Cervical Cancers, Pierre Lane¹, Caherine Poh^{1,2}, Scott Durham⁵, Lewei Zhang^{2,4}, Sylvia F. Lam¹, Miriam Rosin^{3,6}, Michele Follen⁷, Calum MacAulay¹; ¹Integrative Oncology, BC Cancer Research Center, Canada; ²Faculty of Dentistry, Univ. of British Columbia, Canada; ³Cancer Control Res., BC Cancer Res. Ctr., Canada; ⁴Dept. of Pathology, Vancouver General Hospital, Canada; ⁵Dept. of Otolaryngology, Vancouver General Hospital, Canada; ⁶Biomedical Physiology and Kinesiology, Simon Fraser Univ., Canada; ⁷Dept. of Obstetrics and Gynecology, Drexel University, USA. Imaging of endogenous tissue fluorescence is an effective tool for the early detection of oral and cervical cancers. Recent data show that fluorescence-guided surgical resection of oral lesions dramatically reduce the rate of cancer recurrence.

BTuD4 • 19:00

A Portable System for Imaging and Diffractometry, Khalid M. Arif^{1,2}, Cagri A. Savran^{1,2}, Stefan Sinzinger^{1,2}; ¹Mechanical Engineering, Purdue Univ., USA; ²Birck Nanotechnology Center, Purdue Univ., USA. We present the design and development of an all-in-one portable system with embedded computing and data analysis for both imaging and diffractometry. We demonstrate the application of the system to bead-based grating patterns.

BTuD5 • 19:15 p.m.

Cytometry via Optical Wavefront Sensing, James Jacob¹, William Sullivan², John Hoffnagle^{1,3}; ¹CytoRay Inc., USA; ²Univ. of California, Santa Cruz, USA; ³Picarro Inc., USA. We describe a new technique to non-invasively analyze cells. A wavefront sensor measures the aberrations imparted onto a laser that illuminates single cells. The Zernike coefficients of the deformed wavefront comprise a unique cellular signature.

Key to Authors and Presiders

(**Bold** denotes Presider or Presenting Author)

A

Aaron, Jesse-**OTuD4**
Aleyasin, Hossein-OTuD3
Arif, Khalid Mahmood-**BTuD4**

C

Cardenas, Nelson-OTMD5p
Chang, Christopher J-OTuD3
Choi, Samuel-OTMD4p

D

Daoudi, Khalid-OTuD1
Dickinson, Bryan C-OTuD3
Drezek, Rebekah-OTuD2
Durham, Scott-BTuD3

F

Follen, Michele-BTuD3

G

Guo, Hengchang-**OTuD3**

H

Hadi, Masood-OTuD4
Haskew-Layton, Renee-OTuD3
Howard, Scott-OTuD3
Hoffnagle, John-BTuD5

J

Jacob, James-**BTuD5**

K

Kobat, Demirhan-OTuD3

L

Lam, Sylvia F-BTuD3
Lane, Pierre-**BTuD3**
Lin, Vivian-OTuD3
Lipshitz, Isaac-**BTuD1**

M

MacAulay, Calum-BTuD3
Maeda, Takatsugu-OTMD4p
Mishra, Yogeshwar N-**OTMD5p**
Mohanty, Samarendra K-OTMD5p

O

Oeder, Andreas-**OTTuC2p**

P

Poh, Caherine-BTuD3

R

Ratan, Rajiv R-OTuD3
Ren, Qiushi-**BTuD2**
Rivera, David Rudy-OTuD3
Rosin, Miriam-BTuD3

S

Sasaki, Osami-OTMD4p
Savran, Cagri A-BTuD4
Sinzinger, Stefan-OTTuC2p
Steenbergen, Wiendelt-**OTuD1**
Stoebenau, Sebastian-OTTuC2p
Sullivan, William-BTuD5
Suzuki, Takamasa-**OTMD4p**

T

Timlin, Jerilyn-OTuD4

X

Xu, Chris-OTuD3

Y

Young, Joseph-**OTuD2**

Z

Zhang, Lewei-BTuD3

**2011 OSA
OPTICS &
PHOTONICS
CONGRESS**

Optics in the Life Sciences

Bio-Optics: Design and Application (BODA)

Novel Techniques in Microscopy (NTM)

**Optical Molecular Probes, Imaging and
Drug Delivery (OMP)**

Optical Trapping Applications (OTA)

OSA[®]

The Optical Society

2010 Massachusetts Ave., NW
Washington, DC 20036 USA

www.osa.org/meetings